



DEPARTMENT OF DEFENSE (AFHSB) Seasonal Influenza Surveillance Summary




Northern Command -- Week 12 (20 Mar 2016—26 Mar 2016)


In NORTHCOM during week 12^{1,2}

- ◆ Influenza activity increased in some states for week 12 and ranged from low to moderate in most states.
- ◆ The percentage of outpatient visits due to ILI increased, but remained similar to previous seasons.
- ◆ The percentage of positive lab tests remained high at 16.1% for service members and 21.4% for beneficiaries.
- ◆ There were 2 beneficiary influenza hospitalizations (RME) reported for week 12.


NORTHCOM Service Members, Influenza Activity and Virus Subtype, During the Last 2 Weeks




NORTHCOM Beneficiaries, Influenza Positive Specimens Reported to AFHSB



NORTHCOM Service Members, Influenza Positive Specimens Reported to AFHSB



2015 – 2016 NORTHCOM Season Totals ^{1,2}						
	A/H1N1	A/H3N2	A/Untyped	Flu B	AB	Overall % Positive
Service Members	236	40	486	153	9	9.35
Dependents	840	167	2714	1619	78	13.46



- ◆ NHRC laboratory-confirmed influenza cases, US Military Basic Trainees: As of Week 12

	Week 12 ³				2015 – 2016 Recruit Season Totals ³				No. Tested
	A/H1N1	A/H3N2	A/unsubtyped	Flu B	A/H1N1	A/H3N2	A/unsubtyped	Flu B	
Ft Benning				1			1	2	85
Ft Jackson							2		87
Ft Leonard Wood				1		1	7	3	111
NRTC Great Lakes							2		28
Lackland AFB									24
MCRD Parris Island			2				6		79
MCRD San Diego						12	1	1	167
CGTC Cape May			3	2		3	3	9	50
Total	0	0	5	4	0	16	22	15	631

¹AFHSB, ²USAFSAM, ³NHRC, ⁴LRMC, ⁵PHCR-E, ⁶AFRIMS, ⁷NMRC-A, ⁸USAMRU-K, ⁹NAMRU-3, ¹⁰NAMRU-6

For inquiries or comments please contact dha.ncr.health-surv.list.afhs-ib-alert-response@mail.mil




European Command -- Week 12


In EUCOM during week 12^{4,5}

- ◆ EUCOM influenza activity was minimal with the exception of Germany (low activity) and Greece (moderate activity).
- ◆ The percentage of outpatient visits due to ILI decreased to baseline during week 12.
- ◆ The percentage of positive lab tests for week 12 was 25.0% for service members and 14.0% for beneficiaries.
- ◆ Influenza A/H1N1 viruses continue to predominate this season.
- ◆ There was 1 beneficiary influenza hospitalization (RME) reported for week 12.



EUCOM Service Members, Influenza Activity and Virus Subtype, During the Last 2 Weeks



EUCOM Service Members, Influenza Positive Specimens Reported to AFHSB



EUCOM Beneficiaries, Influenza Positive Specimens Reported to AFHSB



2015-2016 EUCOM Season Totals ^{1,4,5}						
	A/H1N1	A/H3N2	A/Untyped	Influenza B	AB	Overall % Positive
Service Members	54	2	21	16	3	15.43
Dependents	50	9	26	33	1	10.54

¹AFHSB, ²USAFSAM, ³NHRC, ⁴LRMC, ⁵PHCR-E, ⁶AFRIMS, ⁷NMRC-A, ⁸USAMRU-K, ⁹NAMRU-3, ¹⁰NAMRU-6

For inquiries or comments please contact dha.ncr.health-surv.list.afhs-ib-alert-response@mail.mil




Pacific Command -- Week 12

In PACOM during week 12^{1,6,7}

- ◆ Influenza activity remained low in Japan and Hawaii and minimal in Guam and the Republic of Korea.
- ◆ The percentage of outpatient visits due to ILI decreased during week 12 and fell below baseline.
- ◆ The percentage of positive lab tests increased to 16.7% for service members and 33.3% for beneficiaries.
- ◆ There was 1 beneficiary influenza hospitalization (RME) reported for week 12.


PACOM Service Members, Influenza Activity and Virus Subtype, During the Last 2 Weeks South Korea and Japan




PACOM: Guam and Hawaii Influenza Activity and HL7 Test Positive (MAP: SM+BN, 2 wks)						
Area Name	Influenza Activity	HL7 Type				
		A(H1)	A(H3)	A Untyped	B	AB
Guam	Minimal	0	0	14	0	0
Hawaii*	Low	0	0	53	10	0

*Hawaii HL7 Type counts may include samples received from Guam, but tested in Hawaii


PACOM Service Members, Influenza Positive Specimens Reported to AFHSB



PACOM Beneficiaries, Influenza Positive Specimens Reported to AFHSB



PACOM Service Members, 2015-2016 and Previous 2 Influenza Seasons ILI Outpatient Visits



2015-2016 PACOM Season Totals ^{1,6,7}						
	A/H1N1	A/H3N2	A/Untyped	Flu B	Flu AB	Overall % Positive
Service Members	12	2	132	14	0	15.22
Dependents	12	5	472	235	1	27.81

¹AFHSB, ²USAFSAM, ³NHRC, ⁴LRMC, ⁵PHCR-E, ⁶AFRIMS, ⁷NMRC-A, ⁸USAMRU-K, ⁹NAMRU-3, ¹⁰NAMRU-6

For inquiries or comments please contact dha.ncr.health-surv.list.afhs-ib-alert-response@mail.mil




Central and Africa Commands -- Week 12

In CENTCOM and AFRICOM during week 12^{1,8,9}

- ◆ Influenza activity remained minimal across CENTCOM and AFRICOM.
- ◆ The percentage of outpatient visits due to ILI increased slightly during week 12, but remained below baseline and consistent with previous seasons.

CENTCOM, Influenza Activity, During the Last 2 Weeks



Southern Command -- Week 12

In SOUTHCOM during week 12¹⁰

- ◆ Influenza activity in Honduras was minimal based on DMSS data.

¹AFHSB, ²USAFSAM, ³NHRC, ⁴LRMC, ⁵PHCR-E, ⁶AFRIMS, ⁷NMRC-A, ⁸USAMRU-K, ⁹NAMRU-3, ¹⁰NAMRU-6

For inquiries or comments please contact dha.ncr.health-surv.list.afhs-ib-alert-response@mail.mil

Description:

Maps, figures and tables are stratified by Combatant Commands (CCMD). The map provides a measure of influenza activity by state or country within each CCMD for the past two weeks for service members. Influenza activity is defined by the percentage of outpatient visits associated with an Influenza-like Illness (ILI) for each week compared to baseline levels of influenza activity. Additionally, a pie graph by US region or country is generated to display the distribution of influenza types and subtype identified from positive laboratory tests for the past two weeks combined.

Influenza activity: Percentage of Outpatient Visits Associated with ILI:

The percentage of all outpatient visits for ILI is calculated each week for all service members, regardless of component. These data are presented as a map of the past two weeks' activity and a figure to display the entire season's data compared to the two prior seasons and baseline. For the map, the activity level compares the mean reported percent of visits due to ILI for the past two weeks to the mean reported percent of visits due to ILI during baseline weeks. Baseline weeks are defined as non-influenza weeks (weeks 22-39) over the past 3 years.

There are four activity levels reported on each map. The activity level corresponds to the number of standard deviations (SD) below, at or above the mean for the current week compared to the mean of the baseline weeks. Activity levels are classified as minimal, low, moderate, and high. Minimal activity corresponds to an influenza percentage that is less than 2 SD above the mean. Low activity corresponds to an influenza percentage that is equal to or greater than 2 SD above the mean, but less than 4 SD above the mean. Moderate activity corresponds to an influenza percentage that is equal to or greater than 4 SD above the mean, but less than 6 SD above the mean. High activity corresponds to an influenza percentage that is equal to or greater than 6 SD above the mean.

Influenza Positive Specimens:

Lab results from PCR, viral culture, and rapid influenza assays are reported. Although the inclusion of rapid tests may underestimate the weekly and cumulative percent positive estimates due to false negatives, visibility of the positive rapid results provides valuable information for this surveillance report. Influenza types/subtypes are categorized as influenza A not subtyped (A subtype na), influenza A/H1 (A H1), influenza A/H3 (A H3), influenza A and B co-infection (A B), and influenza B (B).

Map: Each US region or country with available data contains a pie chart that displays the distribution of influenza types and subtypes for that area for the past two weeks combined. Two weeks of data are combined instead of using just the current week's data due to delays in reporting of laboratory results.

Figure and Table: Each week, using the total number of influenza laboratory tests performed and the positive test results, the proportions positive for each serotype of influenza are calculated for service members and dependents separately.

Data Sources and Case Definitions:

Medical encounter and demographic data from the Armed Forces Health Surveillance Branch's (AFHSB) Defense Medical Surveillance System (DMSS) are used to generate this report. In addition, health-level 7 (HL-7) format laboratory data is provided by the Navy and Marine Corps Public Health Center (NMCPHC) EpiData Center Division. For the past seasons and baseline calculations, ICD-9 codes from outpatient encounters are used to identify influenza activity. The outcome of influenza activity based on ICD-9 codes is defined using the combined codes for ILI (79.99, 382.9, 460, 461.9, 465.8, 465.9, 466.0, 486, 487.0, 487.1, 487.8, 488, 490, 780.6, or 786.2). For the current season, ICD-10 codes from outpatient encounters are used to identify influenza activity. The outcome of influenza activity based on ICD-10 codes is defined using the combined codes for ILI (B97.89, H66.9, H66.90, H66.91, H66.92, H66.93, J00, J01.9, J01.90, J06.9, J09, J09.X, J09.X1, J09.X2, J09.X3, J09.X9, J10, J10.0, J10.00, J10.01, J10.08, J10.1, J10.2, J10.8, J10.81, J10.82, J10.83, J10.89, J11, J11.0, J11.00, J11.08, J11.1, J11.2, J11.8, J11.81, J11.82, J11.83, J11.89, J12.89, J12.9, J18, J18.1, J18.8, J18.9, J20.9, J40, R05, R50.9). An individual can only be counted as a case once per week.

NORTHCOM Regions:

The regions on the NORTHCOM map (bold, black outlines) are defined using the four US Census regions, with the exception of Hawaii and Guam which are a part of PACOM. *Northeast:* Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont, New Jersey, New York, Pennsylvania, Puerto Rico, and the U.S. Virgin Islands. *South:* Delaware, the District of Columbia, Maryland, Virginia, West Virginia, Alabama, Florida, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, Tennessee, Arkansas, Louisiana, Texas., and Oklahoma. *Midwest:* Illinois, Indiana, Michigan, Minnesota, Ohio, Wisconsin, Iowa, Kansas, Missouri, Nebraska, North Dakota, and South Dakota. *West:* New Mexico, Colorado, Montana, Utah, Wyoming, Arizona, California, Nevada, Alaska, Idaho, Oregon, and Washington.

(All data are preliminary and subject to change as updated data is received)

¹AFHSB, ²USAFSAM, ³NHRC, ⁴LRMC, ⁵PHCR-E, ⁶AFRIMS, ⁷NMRC-A, ⁸USAMRU-K, ⁹NAMRU-3, ¹⁰NAMRU-6

For inquiries or comments please contact dha.ncr.health-surv.list.afhs-ib-alert-response@mail.mil