



Cumulative Results

Locations	80
Collected	4,099
Tested	3,881

Influenza A 1,188

A(H1N1)pdm09	17
A(H1N1)pdm09 & Influenza B	1
A(H3N2)	1,166
A(H3N2) & Influenza B	2
A(H3N2) & RSV	1
A/not subtyped & Rhino/Enterovirus	1

Influenza B* 215

B	214
B & Human Metapneumovirus & Rhino/Enterovirus	1

Other Respiratory Pathogens 878

Adenovirus	57
<i>Bordetella pertussis</i>	0
<i>Chlamydomphila pneumoniae</i>	3
Coronavirus	101
Human Metapneumovirus	60
<i>Mycoplasma pneumoniae</i>	34
Parainfluenza	138
RSV	161
Rhino/Enterovirus	212
Non-influenza Viral Coinfections	104
Non-influenza Bacterial Coinfections	8
-M. pneumo coinfections (8)	

Results are preliminary and may change as more results are finalized.

*Influenza B lineages will be reported in the periodic molecular sequencing reports.

Respiratory Highlights

5 - 18 March 2017 (Surveillance Weeks 10 & 11)

- During 5 - 18 March 2017, a total of 429 specimens were collected from 47 locations. Results were finalized for 270 specimens from 43 locations. During Week 10, one influenza A(H1N1)pdm09, one influenza A(H1N1)pdm09 & influenza B, 59 influenza A(H3N2), and 31 influenza B viruses were identified. During Week 11, two influenza A(H1N1)pdm09, 33 influenza A(H3N2), and 31 influenza B viruses were identified. Approximately 34% of specimens tested positive for influenza during Week 10. Approximately 42% of specimens tested positive for influenza during Week 11. The influenza percent positive for the season is approximately 36%.
- According to CDC FluView, during Week 10 influenza activity decreased, but remained elevated in the United States. The proportion of outpatient visits for influenza-like illness was above the national baseline at 3.7%. Five influenza pediatric deaths were reported in Week 10. (CDC, [Flu View Report Week 10](#), cited 21 March 2017).

Table of Contents

Respiratory Highlights	Page 1
Results by Region and Location for Specimens Collected during Weeks 10-11	Page 2 & 3
Laboratory Results - Cumulative for Season and Demographic Summary	Page 4
Vaccination Status by Beneficiary Type and Service	Page 5
Geographic Distribution of Influenza Subtype and Activity Level Maps	Page 5 & 6
Cumulative Results by Region and Location	Pages 7 & 8
DoD Global, Laboratory-Based, Influenza Surveillance Program Background	Page 9

DoD Global, Laboratory-Based, Influenza Surveillance Program

Table 1. Finalized results by region and location for specimens collected during Weeks 10 & 11

Region*		A(H1N1)pdm09	A(H3N2)	A(H1N1)pdm09 & B	B	Adenovirus	Coronavirus	hMN V	M. pneumoniae	Parainfluenza	RSV	Rhinovirus/Enterovirus	Adeno & Corona & Para	Adeno & Corona & RSV	Adeno & RSV	Adeno & Rhino/Entero	Corona & hMN V	No Pathogen	Total
PACOM	Eielson AFB, AK	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
	Yokota AB, Japan	-	2	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	5
Region 1	Hanscom AFB, MA	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	3
Region 2	Ft Drum, NY	-	10	-	4	-	-	-	-	-	1	1	-	-	-	-	-	3	19
	JB McGuire-Dix-Lakehurst, NJ	-	2	-	-	-	-	1	-	-	-	2	-	-	-	-	-	2	7
	USMA - West Point, NY	-	-	-	1	-	-	2	1	-	-	-	-	-	-	-	-	-	4
Region 3	Dover AFB, DE	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	3
	JB Anacostia-Bolling, DC	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	JB Andrews, MD	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	JB Langley-Eustis, VA	1	28	1	6	-	-	2	-	3	1	2	-	-	-	-	-	23	67
Region 4	CGS Mobile, AL	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1
	Eglin AFB, FL	1	1	-	1	1	-	-	-	-	-	-	-	-	-	1	-	3	8
	Ft Bragg, NC	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3
	Hurlburt Field, FL	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3
	JB Charleston (AF), SC	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	Keesler AFB, MS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
	Maxwell AFB, AL	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	Moody AFB, GA	-	-	-	7	-	-	3	-	3	-	3	1	-	-	-	1	-	18
	NH Camp Lejeune, NC	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	Robins AFB, GA	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
	Seymour Johnson AFB, NC	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	Shaw AFB, SC	-	12	-	4	-	-	2	-	-	-	2	-	-	-	-	-	1	21
	Tyndall AFB, FL	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	6
Region 5	Wright-Patterson AFB, OH	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	2

(Cont'd on page 3)

*CONUS locations are based on Health & Human Services regions. Other locations are defined by COCOM.

DoD Global, Laboratory-Based, Influenza Surveillance Program


Table 1. Finalized results by region and location for specimens collected during Weeks 10 & 11
(Cont'd from page 2)

Region*		A(H1N1)pdm09	A(H3N2)	A(H1N1)pdm09 & B	B	Adenovirus	Coronavirus	hMNV	M. pneumoniae	Parainfluenza	RSV	Rhinovirus/Enterovirus	Adeno & Corona & Para	Adeno & Corona & RSV	Adeno & RSV	Adeno & Rhino/Entero	Corona & hMNV	No Pathogen	Total
Region 6	Cannon AFB, NM	-	1	-	2	-	-	-	-	-	-	1	-	-	-	-	-	1	5
	Laughlin AFB, TX	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	3
	Little Rock AFB, AR	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
	Sheppard AFB, TX	-	1	-	5	1	-	1	-	-	-	-	-	-	-	-	-	1	9
	Tinker AFB, OK	-	8	-	5	-	-	1	-	1	-	1	-	-	-	-	-	2	18
Region 7	McConnell AFB, KS	-	1	-	2	-	-	-	-	-	-	1	-	-	-	-	-	1	5
	Offutt AFB, NE	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Region 8	Ellsworth AFB, SD	-	1	-	3	-	-	-	-	-	1	-	-	-	-	-	-	1	6
	FE Warren AFB, WY	-	1	-	-	-	-	-	-	2	-	1	-	-	-	-	-	2	6
	Hill AFB, UT	-	1	-	1	-	-	1	-	-	1	-	-	-	-	-	-	1	5
	Minot AFB, ND	-	-	-	4	-	1	-	-	-	2	1	-	-	-	-	-	2	10
	Peterson AFB, CO	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	2	6
Region 9	Davis-Monthan AFB, AZ	-	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	4
	Luke AFB, AZ	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1
	Nellis AFB, NV	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	2
	Travis AFB, CA	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Region 10	Fairchild AFB, WA	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1
	Mt Home AFB, ID	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1
	NH Bremerton, WA	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Total		3	92	1	62	4	3	14	1	9	7	17	1	1	1	1	1	52	270

*CONUS locations are based on Health & Human Services regions. Other locations are defined by COCOM.

Laboratory Results - Cumulative for Season

Graph 1. Percent influenza positive by week: 2015-2016 surveillance year and through Week 11 of the 2016-2017 surveillance year



Note: Dual influenza coinfections are excluded from this graph. Specimens with pending results are used in the denominator to calculate percent positive, but are not displayed in the graph.


Table 2. ILI by age group for the 2016-2017 surveillance year through Week 11

Age Group	Frequency	Percent
0-5	907	23.37
6-9	334	8.61
10-17	463	11.93
18-24	543	13.99
25-44	1186	30.56
45-64	361	9.30
65+	87	2.24


Demographic Summary

Of 3,881 ILI cases, 1,370 (35.3%) are service members, 1,701 (43.8%) are children, 526 (13.6%) are spouses, and 284 (7.3%) are retirees and other beneficiaries. The median age of ILI cases with known age (n=3,881) is 21 (range 0, 96).

Graph 2. ILI by beneficiary status for the 2016-2017 surveillance year through Week 11




Graph 3. Vaccination status by beneficiary type for the 2016-2017 surveillance year through Week 10*




*Vaccination status by beneficiary type for Week 11 was not available at time of publication.

Map 1. Influenza subtypes and activity level by U.S. region for the 2016-2017 surveillance year through Week 11




DoD Global, Laboratory-Based, Influenza Surveillance Program

Map 2. Influenza subtypes and activity level by country for the 2016-2017 surveillance year through Week 11 (Pacific)



Note - Countries shaded in gray do not contain sentinel sites and are only displayed for geographical perspective.

Map 3. Influenza subtypes and activity level for CENTCOM for the 2016-2017 surveillance year through Week 11



Note - Specimens for CENTCOM were tested at USAFSAM or Landstuhl Regional Medical Center (LRMC).

DoD Global, Laboratory-Based, Influenza Surveillance Program

Laboratory Results—Through Current Surveillance Week 11

Table 3. Cumulative results by region and location for specimens collected during the 2016-2017 surveillance year

Region*		A(H1N1)pdm09	A(H3N2)	A/not subtyped & Rhino/Entero	A(H1N1)pdm09 & B	A(H3N2) & B	A(H3N2) & RSV	B	B & hMPV & Rhino/Entero	Adenovirus	C. pneumoniae	Coronavirus	hMPV	M. pneumoniae	Parainfluenza	RSV	Rhinovirus/Enterovirus	Non-Influenza Viral Coinfection	Non-Influenza Bacterial Coinfection	No Pathogen	Total
Deployed	Country 1, Location A	-	3	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	7	12
	Country 1, Location B	-	6	-	-	-	-	1	-	-	-	1	-	-	-	1	-	1	-	5	15
	Country 1, Location D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
	Country 2, Location A	-	31	1	-	-	-	1	-	-	-	6	-	-	-	-	6	2	-	12	59
EUCOM PACOM	Incirlik AB, Turkey	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	2	4
	CFA Okinawa, Japan	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2
	Eielson AFB, AK	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	5	7
	JB Elmendorf-Richardson, AK	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	5
	JR Marianas - Andersen AFB, Guam	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	3
	Kadena AB, Japan	-	4	-	-	-	-	-	-	-	-	-	1	-	3	-	2	-	1	21	32
	Kunsan AB, South Korea	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	5
	Misawa AB, Japan	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
	Osan AB, South Korea	-	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	7	12
	Tripler AMC, HI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Region 1	Yokota AB, Japan	-	33	-	-	-	-	4	-	1	-	3	1	2	-	2	7	4	-	58	115
	Hanscom AFB, MA	-	3	-	-	-	-	1	-	1	-	-	-	1	2	-	-	1	-	2	11
Region 2	USCG Academy, CT	-	9	-	-	-	-	1	-	-	-	1	1	1	-	-	3	-	2	6	24
	CGAS Borinquen, PR	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Region 3	Ft Drum, NY	1	27	-	-	-	-	35	-	5	1	3	8	1	6	8	2	5	-	43	145
	JB McGuire-Dix-Lakehurst, NJ	-	45	-	-	-	-	-	2	-	6	8	2	7	5	11	5	-	-	69	160
Region 3	USMA - West Point, NY	-	86	-	-	-	-	7	-	10	-	5	6	2	6	12	7	4	-	117	262
	Dover AFB, DE	-	10	-	-	-	-	1	-	2	-	1	1	1	-	1	1	-	-	29	47
Region 3	JB Anacostia-Bolling, DC	-	12	-	-	-	-	3	-	-	-	-	-	-	-	1	-	-	-	-	16
	JB Andrews, MD	2	22	-	-	-	-	9	-	-	-	2	1	-	2	2	1	2	-	37	80
Region 3	JB Langley-Eustis, VA	3	127	-	1	1	-	14	-	-	-	3	5	2	9	20	28	9	-	174	396
	NCRM - Walter Reed NMMC, MD	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2
Region 3	NMC Portsmouth, VA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	3
	US Naval Academy, MD	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Region 4	CGS Mobile, AL	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1
	Columbus AFB, MS	-	5	-	-	-	-	1	-	-	-	2	-	-	-	-	1	-	-	14	23
Region 4	Eglin AFB, FL	1	12	-	-	-	-	4	-	4	-	1	-	1	-	5	9	4	-	28	69
	Ft Bragg, NC	1	8	-	-	-	-	4	-	-	-	1	-	1	3	2	6	4	3	28	61
Region 4	Ft Campbell, KY	1	15	-	-	-	-	2	1	2	-	-	1	-	-	3	-	4	-	11	40
	Hurlburt Field, FL	-	16	-	-	-	-	1	-	1	-	1	-	1	1	1	1	-	-	15	38
Region 4	JB Charleston (AF), SC	-	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	12
	Keesler AFB, MS	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	-	12	18
Region 4	MacDill AFB, FL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	5	6
	Maxwell AFB, AL	-	9	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	13	25
Region 4	Moody AFB, GA	-	23	-	-	-	-	14	-	1	-	1	4	-	8	6	8	10	1	41	117
	NH Beaufort, SC	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2
Region 4	NH Camp Lejeune, NC	-	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-	1	-	6	11
	NH Jacksonville, FL	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3
Region 4	Patrick AFB, FL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
	Robins AFB, GA	-	23	-	-	-	-	7	-	-	-	-	-	2	-	3	1	-	-	18	54
Region 4	Seymour Johnson AFB, NC	2	16	-	-	-	-	1	-	2	-	-	-	1	1	2	1	-	-	10	36
	Shaw AFB, SC	-	31	-	-	-	-	16	-	1	-	5	3	1	3	1	5	-	-	32	98
Region 4	Tyndall AFB, FL	-	6	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	10

(Cont'd on page 8)

*CONUS locations are based on Health & Human Services regions. Other locations are defined by COCOM.

DoD Global, Laboratory-Based, Influenza Surveillance Program

Laboratory Results—Through Current Surveillance Week 11

Table 3. Cumulative results by region and location for specimens collected during the 2016-2017 surveillance year
(Cont'd from page 7)

Region*		A(H1N1)pdm09	A(H3N2)	A/not subtyped & Rhino/Entero	A(H1N1)pdm09 & B	A(H3N2) & B	A(H3N2) & RSV	B	B & hMNv & Rhino/Entero	Adenovirus	C. pneumoniae	Coronavirus	hMNv	M. pneumoniae	Parainfluenza	RSV	Rhinovirus/Enterovirus	Non-Influenza Viral Coinfection	Non-Influenza Bacterial Coinfection	No Pathogen	Total
Region 5	Scott AFB, IL	-	3	-	-	-	-	1	-	-	-	-	-	1	2	1	1	-	1	7	17
	Wright-Patterson AFB, OH	-	9	-	-	-	-	6	-	-	-	1	1	1	1	-	1	2	-	28	50
Region 6	Altus AFB, OK	-	7	-	-	-	-	-	-	1	-	1	1	-	-	5	5	3	-	34	57
	Barksdale AFB, LA	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	1	-	-	8	12
	Cannon AFB, NM	-	12	-	-	-	-	2	-	-	-	1	-	1	1	-	4	1	-	24	46
	Ft Polk, LA	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	3
	JBSA Lackland, TX	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1
	Laughlin AFB, TX	1	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	4	8
	Little Rock AFB, AR	-	10	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	6	17
	Sheppard AFB, TX	-	60	-	-	-	-	8	-	1	-	8	3	-	6	2	8	-	-	66	162
	Tinker AFB, OK	1	94	-	-	-	1	17	-	2	-	8	2	1	6	5	7	4	-	108	256
	Vance AFB, OK	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12	12
Region 7	McConnell AFB, KS	-	25	-	-	-	-	5	-	1	-	4	-	1	3	3	6	2	-	26	76
	Offutt AFB, NE	1	32	-	-	-	-	4	-	1	-	4	1	-	1	1	7	1	-	41	94
Region 8	Ellsworth AFB, SD	-	13	-	-	-	-	5	-	-	-	3	-	-	3	1	3	-	-	24	52
	FE Warren AFB, WY	-	34	-	-	-	-	2	-	3	-	4	-	2	4	6	4	-	-	42	101
	Hill AFB, UT	-	28	-	-	-	-	2	-	-	-	2	1	-	5	4	4	1	-	32	79
	Malmstrom AFB, MT	-	7	-	-	-	-	3	-	-	-	-	-	1	-	-	1	-	-	7	19
	Minot AFB, ND	-	21	-	-	-	-	7	-	-	-	2	1	1	-	4	4	2	-	25	67
	Peterson AFB, CO	-	19	-	-	-	-	8	-	-	-	3	-	-	1	9	3	4	-	24	71
	USAF Academy, CO	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	2	6
Region 9	Beale AFB, CA	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
	Davis-Monthan AFB, AZ	-	13	-	-	-	-	1	-	-	-	-	-	-	5	1	6	5	-	22	53
	Edwards AFB, CA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2
	Luke AFB, AZ	-	-	-	-	-	-	-	-	1	-	2	-	-	-	3	1	1	-	8	16
	Nellis AFB, NV	1	3	-	-	-	-	3	-	3	-	1	-	-	4	4	5	7	-	23	54
	Travis AFB, CA	-	54	-	-	-	-	1	-	-	1	4	4	-	6	12	12	4	-	35	133
	Vandenberg AFB, CA	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	5
Region 10	CGS North Bend, OR	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4
	Fairchild AFB, WA	2	15	-	-	-	-	1	-	3	-	3	-	-	4	2	4	-	-	43	77
	JB Lewis-McChord, WA	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	3
	Mt Home AFB, ID	-	22	-	-	-	-	-	-	1	1	1	-	1	23	12	12	5	-	69	147
	NH Bremerton, WA	-	67	-	-	-	-	3	-	6	-	3	1	2	7	7	5	4	-	24	129
Total		17	1166	1	1	2	1	214	1	57	3	101	60	34	138	161	212	104	8	1600	3881

*CONUS locations are based on Health & Human Services regions. Other locations are defined by COCOM.

Background

The DoD-wide program was established by the Global Emerging Infections Surveillance and Response System (GEIS) in 1997. The surveillance network includes the Defense Health Agency/Armed Forces Health Surveillance Branch—Air Force Satellite Cell (DHA/AFHSB-AF) and U.S. Air Force School of Aerospace Medicine (USAFSAM) (sentinel site respiratory surveillance), the Naval Health Research Center (recruit and shipboard population-based respiratory surveillance), the Naval Medical Research Unit (NAMRU-3) in Cairo, Egypt, the Naval Medical Research Unit (NAMRU-2) in Phnom Penh, Cambodia, the Armed Forces Research Institute of Medical Sciences (AFRIMS) in Bangkok, Thailand, the Naval Medical Research Unit (NAMRU-6) in Lima, Peru, and the United States Army Medical Research Unit-Kenya (USAMRU-K) located in Nairobi, Kenya. This work is supported by the Air Force and GEIS Operations, a Division of the Armed Forces Health Surveillance Branch (AFHSB).


Sentinel Site Surveillance

In 1976, the U.S. Air Force Medical Service began conducting routine, global, laboratory-based influenza surveillance. Air Force efforts expanded to DoD-wide in 1997. DHA/AFHSB-AF and USAFSAM manages the surveillance program that includes global surveillance among DoD beneficiaries at over 95 sentinel sites (including deployed locations) and many non-sentinel sites (please see map below). Collaborating partner laboratories include five DoD overseas medical research laboratories (AFRIMS, NAMRU-2, NAMRU-3, NAMRU-6, USAMRU-K) who collect specimens from local residents in surrounding countries that may not otherwise be covered in existing surveillance efforts. Additionally, the Naval Health Research Center (NHRC) in San Diego, CA collects specimens from DoD recruit training centers and conducts surveillance along the Mexico border.

Landstuhl Regional Medical Center (LRMC) and Tripler Army Medical Center (TAMC) assist the program by processing DoD specimens for the EUCOM region and the State of Hawaii, respectively. This process seeks to provide more timely results and efficient transport of specimens.

Available on our website (listed below) is a list of previous weekly surveillance reports, program information (including an educational briefing and instruction pamphlets for clinic staff), and a dashboard containing respiratory data for our sentinel sites.


Errata: A previous co-infection was listed as influenza A(H3N2) and influenza B which has been amended to influenza A(H3N2).



For Public Health Services
937-938-3196; DSN 798-3196

For Laboratory Services
937-938-4140; DSN 798-4140

USAFSAM.PHRFlu@us.af.mil



Collaborating Partners

In addition to all participating DoD military sentinel sites, collaborating laboratories and medical centers (described above) may be further understood by reviewing the sites' website. Click on the sites' icon to be directed to their webpage.

