

DoD Consolidated Influenza Surveillance Report

Week 52 (26 Dec 2021 — 01 Jan 2022)




One Page Summary: Weekly Highlights

- Laboratory-confirmed influenza cases, dispensed antiviral prescription counts, and inpatient counts among all beneficiaries were low during week 52 of the 2021-2022 influenza season.
- Among active component Service Members, laboratory-confirmed influenza cases and antiviral prescriptions were low.
- ILI activity was minimal to low for a majority of installations and states.
- COVID-19 cases continue to account for a majority of all influenza and COVID-19 cases combined.
- There were no laboratory-confirmed influenza hospitalizations reported during week 52. (Season total: 11).

Influenza Surveillance Indicators (2021-2022 season)

All Beneficiaries	Total Per Week		Trend	Activity Level
Laboratory Cases	281		▼	Low
Dispensed Antivirals	105		▼	Low
Severity				Activity Level
Inpatient Laboratory Cases	1		◄►	Low
Inpatient Dispensed Antivirals	5		◄►	Low
Active Component				Activity Level
Laboratory Cases	101		▼	Low
Dispensed Antivirals	24		▼	Low
ILI Outpatient Visits	2%		◄►	Minimal


Laboratory-Confirmed Influenza and COVID-19 among Beneficiaries: Serotype Distribution



Confirmed Influenza and COVID-19 Cases (2021-2022 Season: Week 52)


Number and Distribution of Influenza Positive Specimens since week 40, by Beneficiary Status and Serotype

- The number of laboratory-confirmed influenza positive specimens for the season is low. The majority of positive specimens were among beneficiaries.
- Among subtyped specimens, influenza A (H3N2) has predominated.




Number and Distribution of Influenza Positive Specimens and COVID-19 Cases since week 40, by Beneficiary Status

- COVID-19 cases predominated among all beneficiary categories, representing a majority of influenza and COVID-19 cases combined.



Percent of Specimens Positive for Influenza (by Serotype) or COVID-19




- There was a decrease in the percent of specimens positive for influenza A (not subtyped) during week 52, while subtyped specimens remained stable and low. The percent of specimens positive for SARS-CoV-2 increased to more than 7%.

Laboratory-Confirmed Influenza (2021-2022 Season: Week 52)


Laboratory-Positive Influenza Cases, All Beneficiaries

- The number of laboratory-confirmed influenza cases among all beneficiaries dropped below the threshold and remained well below baseline for week 52.
- Band indicates one standard deviation above and below seasonal baseline estimates. Threshold indicates two standard deviations above off-season average.



Laboratory-Positive Influenza Cases, Active Component Service


- The number of active component Service Member laboratory-confirmed influenza cases decreased, remaining well below the threshold.
- Threshold indicates two standard deviations above seasonal baseline estimates.



ILI and Dispensed Antiviral Prescriptions (2021-2022 Season: Week 52)


- The percentage of outpatient visits due to ILI crossed the baseline for the 2021-2022 season.
- COVID-19 mitigation efforts are likely contributing to the lower than normal number of ILIs.

**Percent of Outpatient Visits Due to ILI:
Service Members, 2017-2018 to 2021-2022 Seasons**



- Influenza-specific dispensed antiviral prescriptions among all beneficiaries remained low and below the weekly baseline and threshold.
- Band indicates one standard deviation above and below seasonal baseline estimates. Threshold indicates two standard deviations above off-season average.


Influenza-Specific Dispensed Antiviral Prescriptions, All Beneficiaries



Influenza-Specific Dispensed Antiviral Prescriptions:

Active Component Service Members


- The number of influenza-specific dispensed antiviral prescriptions among active component Service Members decreased.
- Threshold indicates two standard deviation above the overall weighted average during the season. However, there is not enough data for the season to calculate the threshold for this metric.




Severity: Hospitalized Influenza Metrics (2021-2022 Season: Week 52)

- There were no laboratory-confirmed influenza hospitalizations reported during week 52. Three additional hospitalizations were reported for previous weeks, bringing the total to 11 for the season (4 service members and 7 other beneficiaries).
- There were minimal inpatient influenza-specific antiviral prescriptions dispensed during week 52.
- Thresholds indicate one standard deviation above the overall weighted average during the season. However, there is not enough data for the season to calculate the threshold for the influenza-specific antiviral prescriptions metric.

Hospitalized Laboratory-Positive Influenza Cases, All Beneficiaries



Inpatient Dispensed Antivirals Prescriptions, All Beneficiaries




Influenza Activity: Geographic Combatant Command

(2021-2022 Season: Week 52)

**** The COVID-19 mitigation efforts occurring across the world may impact ILI activity levels.**

- NORTHCOM: ILI activity was minimal. The majority of laboratory-confirmed influenza cases have been Influenza A (not sub-typed).
- EUCOM: ILI activity was minimal. Only a small number of influenza positive specimens have been reported for the season. The majority have been Influenza A (not subtyped).
- INDOPACOM: ILI activity was moderate. Influenza A (not subtyped) predominated among the few laboratory-confirmed influenza positive specimens that were reported.
- SOUTHCOM: ILI activity was minimal. No specimens have tested positive for influenza this season.
- CENTCOM: ILI activity was minimal.

ILI Activity (Service Members) and Laboratory-Confirmed Influenza (All Beneficiaries)




*Locations colored in dark gray have no Service Member medical encounter data.

Influenza Activity: NORTHCOM (2021-2022 Season: Week 52)

** The COVID-19 mitigation efforts occurring across the world may impact ILI activity levels.

- A majority of installations and states with available data had minimal to low ILI activity during week 52. Nevada had moderate ILI activity, while Iowa and Alabama had high activity. NAS Jacksonville, Redstone Arsenal, and Tinker AFB had moderate ILI activity, while Fort Polk and Maxwell AFB had high activity.
- Due to delays in receiving MHS GENESIS data, installations using MHS GENESIS will not have 2-week ILI activity data.
- State level data includes both Military Treatment Facility (MTF) and outsourced care. Therefore, state activity levels may differ from the installation level data.
- Installation-level laboratory-confirmed influenza and COVID-19 case data can be found on pages 14-19 of the report.

ILI Activity (Service Members) by State and Installation




Influenza and COVID-19 Activity: EUCOM (2021-2022 Season: Week 52)

**** The COVID-19 mitigation efforts occurring across the world may impact ILI activity levels.**

- ILI activity was low in Turkey, Italy, and Spain, and minimal in all other countries with available data.
- Only a small number of laboratory-confirmed influenza cases have been reported for EUCOM this season.
- Installation-level laboratory-confirmed influenza and COVID-19 case data for EUCOM can be found on page 9 of the report.

ILI Activity (Service Members) and Laboratory-Confirmed Influenza (All Beneficiaries)



Confirmed Influenza and COVID-19: EUCOM (2021-2022 Season: Week 52)

Laboratory-Confirmed Influenza by Installation (All Beneficiaries)

Country	Location	Service	A (not sub-typed)		A (H1N1)		A (H3N2)		A & B		B		Total positive	Total tested	% Positive	Change from past 2 weeks
			2 wks	Season	2 wks	Season	2 wks	Season	2 wks	Season	2 wks	Season	2 wks	2 wks	2 wks	
Belgium	Shape	A	0	0	0	0	0	0	0	0	0	1	0	9	0	↔
Germany	Barton Barracks	A	0	0	0	0	0	0	0	0	0	0	0	0	0	↔
Germany	Landstuhl RMC	A	3	8	0	0	0	0	0	1	0	3	3	356	1	↔
Germany	Patch Barracks	A	0	0	0	0	0	0	0	0	0	0	0	0	0	↔
Germany	Ramstein AB	F	0	0	0	0	0	0	0	0	0	0	0	10	0	↔
Germany	Spangdahlem AB	F	0	0	0	0	1	3	0	0	0	0	1	35	3	↓
Germany	USAG Bavaria	A	4	5	0	0	0	0	0	0	0	0	4	99	4	↑
Germany	USAG Hohenfels/Amberg	A	0	1	0	0	0	0	0	0	0	0	0	1	0	↔
Germany	USAG Kaiserslautern	A	0	0	0	0	0	0	0	0	0	0	0	0	0	↔
Germany	USAG Katterbach	A	0	0	0	0	0	1	0	0	0	0	0	10	0	↔
Germany	USAG Wiesbaden	A	0	0	0	0	0	0	0	0	0	0	0	4	0	↔
Italy	Aviano AB	F	0	0	0	0	0	0	0	0	0	3	0	17	0	↔
Italy	NAS Sigonella	N	0	0	0	0	0	0	0	0	0	0	0	35	0	↔
Italy	NSA Naples	N	3	7	0	0	0	0	0	0	0	0	3	139	2	↑
Italy	USAG Italy	A	2	2	0	0	0	0	0	0	0	0	2	69	3	↓
Spain	NS Rota	N	0	0	0	0	0	0	0	0	0	0	0	25	0	↔
Turkey	Incirlik AB	F	0	1	0	0	3	3	0	0	0	0	3	20	15	↑
United Kingdom	RAF Alconbury	F	0	0	0	0	0	0	0	0	0	0	0	17	0	↔
United Kingdom	RAF Croughton	F	0	0	0	0	0	0	0	0	0	0	0	5	0	↔
United Kingdom	RAF Lakenheath	F	3	19	0	0	0	7	0	1	0	1	3	573	1	↓

COVID-19 Cases Since Week 40 by Installation (All Beneficiaries)


Country	Location	Service	COVID-19		Change from past 2 weeks
			2 wks	Since week 41	
Belgium	Shape	A	14	45	↑
Germany	Barton Barracks	A	3	3	↔
Germany	Landstuhl RMC	A	397	956	↑
Germany	Patch Barracks	A	0	0	↔
Germany	Ramstein AB	F	3	30	↑
Germany	Spangdahlem AB	F	15	35	↑
Germany	USAG Bavaria	A	41	277	↑
Germany	USAG Hohenfels/Amberg	A	9	135	↑
Germany	USAG Kaiserslautern	A	7	13	↑
Germany	USAG Katterbach	A	19	131	↑
Germany	USAG Wiesbaden	A	44	125	↑
Italy	Aviano AB	F	35	105	↑
Italy	NAS Sigonella	N	21	27	↑
Italy	NSA Naples	N	47	72	↑
Italy	USAG Italy	A	43	107	↑
Spain	NS Rota	N	125	159	↑
Turkey	Incirlik AB	F	5	25	↑
United Kingdom	RAF Alconbury	F	16	54	↑
United Kingdom	RAF Croughton	F	8	14	↑
United Kingdom	RAF Lakenheath	F	450	756	↑

Influenza Activity: INDOPACOM (2021-2022 Season: Week 52)


**** The COVID-19 mitigation efforts occurring across the world may impact ILI activity levels.**

- ILI activity was high in Hawaii, moderate in the Republic of Korea, and minimal in all other countries with available data.
- Installation-level laboratory-confirmed influenza and COVID-19 case data for INDOPACOM can be found on page 11 of the report.

ILI Activity (Service Members) and Laboratory-Confirmed Influenza (All Beneficiaries)



*Locations colored in dark gray have no Service Member medical encounter data.



Influenza Activity: INDOPACOM (2021-2022 Season: Week 52)

Laboratory-Confirmed Influenza by Installation (All Beneficiaries)

Country	Location	Service	A (not sub-typed)		A (H1N1)		A (H3N2)		A & B		B		Total positive	Total tested	% Positive	Change from past 2 weeks
			2 wks	Season	2 wks	Season	2 wks	Season	2 wks	Season	2 wks	Season	2 wks	2 wks	2 wks	
Guam	JB Andersen	J	0	0	0	0	1	1	0	0	0	0	1	128	1	↓
Japan	CFA Okinawa	N	0	0	0	0	0	0	0	0	0	0	0	75	0	↔
Japan	CFA Yokosuka	N	0	0	0	0	0	0	0	0	0	0	0	7	0	↔
Japan	Camp Foster	N	0	0	0	0	0	0	0	0	0	0	0	1	0	↔
Japan	Camp Fuji	N	0	0	0	0	0	0	0	0	0	0	0	0	0	↔
Japan	Camp Zama	A	0	0	0	0	0	0	0	1	0	0	0	15	0	↔
Japan	Kadena AB	F	0	0	0	0	0	0	0	0	0	0	0	2	0	↔
Japan	MCAS Futenma	N	0	0	0	0	0	0	0	0	0	0	0	2	0	↔
Japan	MCAS Iwakuni	N	0	0	0	0	0	0	1	1	0	1	1	15	7	↑
Japan	Misawa AB	F	0	1	0	0	0	0	0	0	0	3	0	111	0	↔
Japan	NAF Atsugi	N	1	1	0	0	0	0	0	0	0	0	1	10	10	↑
Japan	NB Okinawa	N	0	0	0	0	0	0	0	0	0	0	0	42	0	↔
Japan	USFA Sasebo	N	0	0	0	0	0	0	0	0	0	0	0	7	0	↔
Japan	Yokota AB	F	0	0	0	0	0	0	0	0	0	0	0	16	0	↔
Korea, Republic of	CFA Chinhae	N	0	0	0	0	0	0	0	0	0	0	0	0	0	↔
Korea, Republic of	Camp Casey	A	0	0	0	0	0	0	0	0	0	0	0	0	0	↔
Korea, Republic of	Camp Humphreys	A	0	0	0	0	0	0	0	0	0	0	0	24	0	↔
Korea, Republic of	Camp Walker	A	0	0	0	0	0	0	0	0	0	0	0	0	0	↔
Korea, Republic of	Kunsan AB	F	0	0	0	0	0	0	0	0	0	0	0	11	0	↔
Korea, Republic of	Osan AB	F	0	0	0	0	0	0	0	0	0	0	0	249	0	↔
Korea, Republic of	Yongsan Garrison	A	0	0	0	0	0	0	0	0	0	0	0	51	0	↔
United States	Camp H M Smith	N	0	0	0	0	0	0	0	0	0	0	0	0	0	↔
United States	Ft Shafter	A	0	3	0	0	0	1	0	1	0	0	0	56	0	↔
United States	JB Pearl Harbor-Hickam	J	0	0	0	0	0	0	0	0	0	0	0	2	0	↔
United States	MCB Hawaii	N	0	0	0	0	0	0	0	0	0	0	0	0	0	↔
United States	Schofield Barracks	A	0	1	0	0	0	0	0	0	0	0	0	0	0	↔

COVID-19 Cases Since Week 40 by Installation (All Beneficiaries)

Country	Location	Service	COVID-19		Change from past 2 weeks
			2 wks	Since week	
Guam	JB Andersen	J	46	259	↑
Japan	CFA Okinawa	N	356	559	↑
Japan	CFA Yokosuka	N	35	45	↑
Japan	Camp Foster	N	14	21	↑
Japan	Camp Fuji	N	9	10	↔
Japan	Camp Zama	A	12	21	↑
Japan	Kadena AB	F	42	64	↑
Japan	MCAS Futenma	N	6	11	↑
Japan	MCAS Iwakuni	N	187	193	↑
Japan	Misawa AB	F	79	84	↑
Japan	NAF Atsugi	N	1	1	↔
Japan	NB Okinawa	N	199	280	↑
Japan	USFA Sasebo	N	13	15	↑
Japan	Yokota AB	F	53	75	↑
Korea, Republic of	CFA Chinhae	N	0	0	↔
Korea, Republic of	Camp Casey	A	5	13	↑
Korea, Republic of	Camp Humphreys	A	14	14	↑
Korea, Republic of	Camp Walker	A	3	3	↑
Korea, Republic of	Kunsan AB	F	323	328	↑
Korea, Republic of	Osan AB	F	652	697	↑
Korea, Republic of	Yongsan Garrison	A	731	930	↑
United States	Camp H M Smith	N	0	0	↔
United States	Ft Shafter	A	703	1393	↓
United States	JB Pearl Harbor-Hickam	J	310	583	↑
United States	MCB Hawaii	N	0	0	↔
United States	Schofield Barracks	A	0	0	↔

Influenza Activity: SOUTHCOM (2021-2022 Season: Week 52)

**** The COVID-19 mitigation efforts occurring across the world may impact ILI activity levels.**

- ILI activity was minimal in Cuba and low in Honduras.
- No laboratory-confirmed influenza cases have been reported for SOUTHCOM for the 2021-2022 season.

ILI Activity (Service Members) and Laboratory-Confirmed Influenza (All Beneficiaries)



*Locations colored in dark gray have no Service Member medical encounter data.

Laboratory-Confirmed Influenza by Installation (All Beneficiaries)

Country	Location	Service	A (not sub-typed)		A (H1N1)		A (H3N2)		A & B		B		Total posi-tive	Total tested	% Positive	Change from
			2 wks	Season	2 wks	Season	2 wks	Season	2 wks	Season	2 wks	Season	2 wks	2 wks	2 wks	past 2 weeks
Cuba	Guantanamo Bay	N	0	0	0	0	0	0	0	0	0	0	0	5	0	↔

COVID-19 Cases Since Week 40 by Installation (All Beneficiaries)


Country	Location	Service	COVID-19		Change from last report
			2 wks	Since week 41	
Cuba	Guantanamo Bay	N	10	12	↔

Influenza Activity: CENTCOM (2021-2022 Season: Week 52)

**** The COVID-19 mitigation efforts occurring across the world may impact ILI activity levels.**

- ILI activity among service members was low in Kuwait and minimal in all other countries with available data.

ILI Activity (Service Members)



*Locations colored in dark gray have no Service Member medical encounter data.

NORTHCOM Laboratory-Confirmed Influenza

(2021-2022 Season: Week 52)

Laboratory-Confirmed Influenza (All Beneficiaries) by Installation Alaska through Georgia

State	Location	Service	A (not subtyped)		A (H1N1)		A (H3N2)		A & B		B		Total positive	Total tested	% Positive	Change from past 2 weeks
			2 wks	Season	2 wks	Season	2 wks	Season	2 wks	Season	2 wks	Season	2 wks	2 wks	2 wks	
AK	Eielson AFB	F	0	0	0	0	0	0	0	0	0	0	0	1	0	↔
AK	Ft Greely	A	0	0	0	0	0	0	0	0	0	0	0	3	0	↔
AK	Ft Wainwright	A	0	3	0	0	0	0	0	0	0	0	0	12	0	↔
AK	JB Elmendorf-Richardson	J	2	12	0	0	0	1	0	0	0	6	2	55	4	↓
AL	Ft Rucker	A	7	33	0	0	0	0	0	0	2	14	9	83	11	↔
AL	Maxwell AFB	F	3	5	0	0	0	0	0	0	5	5	8	155	5	↓
AL	Redstone Arsenal	A	1	6	0	0	0	0	0	0	0	0	1	16	6	↑
AR	Little Rock AFB	F	3	14	0	0	0	0	0	0	0	0	3	133	2	↓
AZ	Davis-Monthan AFB	F	0	0	0	0	0	1	0	0	0	0	0	0	0	↔
AZ	Ft Huachuca	A	0	0	0	0	0	0	0	0	0	0	0	9	0	↔
AZ	Luke AFB	F	1	2	0	0	0	0	0	0	0	0	1	2	50	↓
AZ	MCAS Yuma	N	0	1	0	0	0	0	0	0	0	0	0	0	0	↔
CA	Camp Pendleton	N	2	21	0	0	0	0	0	0	0	1	2	137	1	↓
CA	Edwards AFB	F	0	0	0	0	0	0	0	0	0	0	0	7	0	↔
CA	Ft Irwin	A	0	1	0	0	0	0	0	0	0	0	0	7	0	↔
CA	Los Angeles AFB	F	0	0	0	0	0	0	0	0	0	1	0	0	0	↔
CA	NAH Lemoore	N	0	0	0	0	0	0	0	0	0	0	0	8	0	↔
CA	NB Coronado	N	0	0	0	0	0	0	0	0	0	0	0	0	0	↔
CA	NB San Diego	N	0	12	0	0	0	8	0	0	0	3	0	66	0	↔
CA	NV Ventura County	N	0	0	0	0	0	0	0	0	0	0	0	0	0	↔
CA	Travis AFB	F	0	0	0	0	0	2	0	0	0	0	0	19	0	↔
CA	Twentynine Palms	N	0	7	0	0	0	0	0	0	0	0	0	6	0	↔
CA	USAG Presidio of Monterey	A	0	0	0	0	0	0	0	0	0	0	0	1	0	↔
CA	Vandenberg AFB	F	0	2	0	0	0	0	0	0	0	1	0	8	0	↔
CO	Buckley AFB	F	0	0	0	0	0	0	0	0	0	0	0	3	0	↔
CO	Ft Carson	A	1	43	0	0	0	0	0	4	1	19	2	37	5	↓
CO	Peterson AFB	F	0	7	0	0	0	0	0	0	0	0	0	17	0	↔
CO	USAF Academy	F	0	9	0	0	0	0	0	0	0	0	0	3	0	↔
CT	NSB New London	N	1	1	0	0	0	0	0	0	0	0	1	5	20	↑
DC	JB Anacostia-Bolling	F	0	0	0	0	0	2	0	0	0	0	0	33	0	↔
DC	Pentagon	J	0	0	0	0	0	2	0	0	0	0	0	21	0	↔
DE	Dover AFB	F	0	2	0	0	0	0	0	0	0	0	0	64	0	↔
FL	Eglin AFB	J	21	51	0	0	2	3	0	0	0	0	23	226	10	↓
FL	Hurlburt Field	F	6	29	0	0	0	0	0	1	0	0	6	158	4	↓
FL	MacDill AFB	F	5	19	0	0	0	3	0	0	1	5	6	198	3	↓
FL	NAS Jacksonville	J	11	67	0	0	1	4	0	1	3	13	15	259	6	↑
FL	NAS Key West	J	0	0	0	0	0	0	0	0	2	8	2	24	8	↓
FL	NAS Pensacola	N	14	97	0	0	0	0	0	0	1	7	15	541	3	↓
FL	NAS Whiting Field	N	2	6	0	0	0	0	0	0	0	6	2	22	9	↓
FL	NS Mayport	J	1	1	0	0	0	0	0	0	0	0	1	16	6	↓
FL	Patrick AFB	F	0	5	0	0	0	0	0	2	0	1	0	65	0	↔
FL	Tyndall AFB	F	2	13	0	0	0	0	0	0	0	1	2	94	2	↓
GA	Ft Benning	A	15	57	0	0	0	0	0	0	0	11	15	215	7	↓
GA	Ft Gordon	A	14	52	0	0	0	0	1	2	0	0	15	438	3	↓
GA	Ft Stewart	A	7	13	0	0	0	0	1	2	0	0	8	92	9	↑
GA	Hunter Army Airfield	A	0	0	0	0	0	0	0	0	0	0	0	10	0	↔
GA	Moody AFB	F	4	30	0	0	2	29	0	0	0	0	6	232	3	↓
GA	NAS Albany	J	0	4	0	0	0	0	0	0	1	1	1	2	50	↓
GA	NSB Kings Bay	J	0	2	0	0	0	0	0	0	0	1	0	5	0	↔
GA	Robins AFB	F	0	0	0	0	9	21	0	0	0	0	9	211	4	↓

NORTHCOM COVID-19 Cases

(2021-2022 Season: Week 52)

COVID-19 Cases Since Week 40 (All Beneficiaries) by Installation Alaska through Georgia

State	Location	Service	COVID-19		Change from past 2 weeks
			2 wks	Since week 41	
AK	Eielson AFB	F	14	181	↑
AK	Ft Wainwright	A	36	334	↑
AK	JB Elmendorf-Richardson	J	195	926	↑
AL	Ft Rucker	A	42	93	↑
AL	Maxwell AFB	F	120	167	↑
AL	Redstone Arsenal	A	14	28	↑
AR	Little Rock AFB	F	78	131	↑
AZ	Davis-Monthan AFB	F	10	57	↓
AZ	Ft Huachuca	A	71	250	↑
AZ	Luke AFB	F	182	466	↑
CA	Beale AFB	F	23	73	↑
CA	Camp Pendleton	N	547	886	↑
CA	Edwards AFB	F	33	105	↑
CA	Ft Irwin	A	86	162	↑
CA	Los Angeles AFB	F	7	36	↑
CA	NAH Lemoore	N	109	197	↑
CA	NB San Diego	N	1367	2222	↑
CA	Travis AFB	F	157	307	↑
CA	Twentynine Palms	N	72	148	↑
CA	USAG Presidio of Monterey	A	150	209	↑
CA	Vandenberg AFB	F	66	110	↑
CO	Buckley AFB	F	37	311	↓
CO	Ft Carson	A	532	1813	↑
CO	Peterson AFB	F	102	375	↑
CO	Schriever AFB	F	6	12	↑

State	Location	Service	COVID-19		Change from past 2 weeks
			2 wks	Since week 41	
CO	USAF Academy	F	155	320	↑
CT	NSB New London	N	68	117	↑
DC	JB Anacostia-Bolling	F	165	229	↑
DC	JB Myer-Henderson Hall	A	36	36	↔
DC	Pentagon	J	140	202	↑
DC	Washington Navy Yard	N	12	12	↑
DE	Dover AFB	F	191	360	↑
FL	Eglin AFB	J	189	322	↑
FL	Hurlburt Field	F	76	121	↑
FL	Macdill AFB	F	102	150	↑
FL	NAS Jacksonville	J	435	563	↑
FL	NAS Key West	J	51	66	↑
FL	NAS Pensacola	N	213	326	↑
FL	NAS Whiting Field	N	14	15	↑
FL	NS Mayport	J	214	246	↑
FL	Patrick AFB	F	86	99	↑
FL	Tyndall AFB	F	23	32	↑
GA	Ft Benning	A	534	1193	↑
GA	Ft Gordon	A	577	779	↑
GA	Ft Stewart	A	249	354	↑
GA	Hunter Army Airfield	A	124	166	↑
GA	Moody AFB	F	83	121	↑
GA	NAS Albany	J	3	7	↔
GA	NSB Kings Bay	J	61	87	↑
GA	Robins AFB	F	119	153	↑

NORTHCOM Laboratory-Confirmed Influenza

(2021-2022 Season: Week 52)

Laboratory-Confirmed Influenza (All Beneficiaries) by Installation Idaho through New York

State	Location	Service	A (not subtyped)		A (H1N1)		A (H3N2)		A & B		B		Total positive	Total tested	% Positive	Change from past 2 weeks
			2 wks	Season	2 wks	Season	2 wks	Season	2 wks	Season	2 wks	Season	2 wks	2 wks	2 wks	
ID	Mountain Home AFB	F	0	0	0	0	0	0	0	0	0	0	0	0	0	↔
IL	NS Great Lakes	N	2	14	0	0	4	30	0	0	0	1	6	710	1	↔
IL	Rock Island Arsenal	A	0	0	0	0	0	0	0	0	0	0	0	0	0	↔
IL	Scott AFB	F	0	0	0	0	0	4	0	0	0	0	0	44	0	↔
KS	Ft Leavenworth	A	2	5	0	0	0	0	0	0	0	0	2	5	40	↓
KS	Ft Riley	A	1	51	0	0	0	0	0	0	0	0	1	10	10	↓
KS	McConnell AFB	F	1	3	0	0	0	0	0	0	0	0	1	8	13	↓
KY	Ft Campbell	A	52	111	0	0	0	0	0	2	1	11	53	502	11	↓
KY	Ft Knox	A	0	1	0	0	0	0	1	1	1	4	2	45	4	↓
LA	Barksdale AFB	F	0	0	0	0	0	0	0	0	2	2	2	15	13	↓
LA	Ft Polk	A	5	23	0	0	1	4	0	0	0	0	6	180	3	↓
LA	NAS Belle Chase	N	0	0	0	0	0	0	0	0	0	0	0	0	0	↔
MA	Hanscom AFB	F	0	2	0	0	1	3	0	0	0	1	1	4	25	↓
MD	Aberdeen Proving Ground	A	2	4	0	0	0	0	0	0	3	6	5	125	4	↓
MD	Ft Detrick	A	5	8	0	0	0	0	0	0	1	5	6	83	7	↓
MD	Ft Meade	A	4	10	0	0	0	0	1	1	0	1	5	160	3	↔
MD	JB Andrews	F	1	31	0	0	0	0	0	0	0	0	1	486	0	↔
MD	NAS Patuxent River	N	3	6	0	0	0	0	0	0	0	0	3	155	2	↔
MD	NBHC Bancroft Hall	N	3	157	0	0	0	221	0	0	0	0	3	171	2	↑
MD	NHC Annapolis	N	1	1	0	0	0	0	0	0	0	0	1	203	0	↓
MD	NSF Indian Head	N	0	0	0	0	0	0	0	0	0	0	0	15	0	↔
MD	WRNMMC	J	0	9	0	0	7	37	0	0	0	0	7	355	2	↓
MO	Ft Leonard Wood	A	0	5	0	0	0	0	0	1	0	3	0	17	0	↔
MO	Whiteman AFB	F	0	6	0	0	0	0	0	0	0	0	0	9	0	↔
MS	Columbus AFB	F	1	5	0	0	0	0	0	0	0	0	1	29	3	↑
MS	Keesler AFB	J	9	22	0	0	3	6	0	1	0	0	12	399	3	↓
MS	NAS Meridian	N	3	9	0	0	0	0	0	0	0	4	3	50	6	↓
MS	NBHC Gulfport	N	0	3	0	0	0	0	0	0	0	0	0	1	0	↔
MT	Malmstrom AFB	F	0	0	0	0	0	0	0	0	0	0	0	19	0	↔
NC	Camp Lejeune	N	32	195	0	0	0	0	0	3	3	21	35	514	7	↓
NC	Ft Bragg	J	12	40	0	0	0	3	0	1	0	0	12	367	3	↔
NC	MCAS Cherry Point	N	8	29	0	0	0	0	0	0	1	12	9	88	10	↑
NC	Pope Army Airfield	J	0	1	0	0	0	0	0	0	0	0	0	14	0	↔
NC	Seymour Johnson AFB	J	3	19	0	0	0	0	0	0	0	0	3	172	2	↓
ND	Grand Forks AFB	F	0	3	0	0	0	0	0	0	0	0	0	2	0	↔
ND	Minot AFB	F	0	1	0	0	0	0	0	0	0	0	0	1	0	↔
NE	Offutt AFB	F	0	1	0	0	0	0	0	0	0	0	0	0	0	↔
NH	Portsmouth	N	4	4	0	0	0	0	0	0	1	1	5	7	71	↓
NJ	JB McGuire-Dix-Lakehurst	F	10	19	0	0	0	0	0	1	0	0	10	646	2	↑
NM	Cannon AFB	F	0	2	0	0	0	0	0	0	0	0	0	2	0	↔
NM	Holloman AFB	F	1	4	0	0	0	0	0	0	0	0	1	359	0	↑
NM	Kirtland AFB	F	0	0	0	0	0	0	0	0	0	0	0	0	0	↔
NM	White Sands Missile Range	A	0	0	0	0	0	0	0	0	0	0	0	12	0	↔
NV	Nellis AFB	F	1	3	0	0	1	9	0	0	0	1	2	50	4	↓
NY	Ft Drum	A	0	15	0	0	0	4	0	0	0	0	0	29	0	↔
NY	West Point	A	5	115	0	0	0	0	0	0	2	4	7	130	5	↓

NORTHCOM COVID-19 Cases

(2021-2022 Season: Week 52)

COVID-19 Cases Since Week 40 (All Beneficiaries) by Installation Idaho through New York

State	Location	Service	COVID-19		Change from past 2 weeks
			2 wks	Since week 41	
ID	Mountain Home AFB	F	27	126	↑
IL	NS Great Lakes	N	411	658	↑
IL	Scott AFB	F	117	314	↑
KS	Ft Leavenworth	A	44	132	↑
KS	Ft Riley	A	102	318	↑
KS	McConnell AFB	F	24	116	↑
KY	Ft Campbell	A	700	1315	↑
KY	Ft Knox	A	64	211	↑
LA	Barksdale AFB	F	57	136	↑
LA	Ft Polk	A	170	260	↑
MA	Hanscom AFB	F	49	90	↑
MD	Aberdeen Proving Ground	A	80	124	↑
MD	Ft Detrick	A	77	167	↑
MD	Ft Meade	A	796	1096	↑
MD	JB Andrews	F	645	958	↑
MD	NAS Patuxent River	N	92	144	↑
MD	NBHC Bancroft Hall	N	51	199	↓
MD	NHC Annapolis	N	58	74	↑
MD	NSF Indian Head	N	21	25	↑
MD	WRNMMC	J	1141	1487	↑
MO	Ft Leonard Wood	A	273	962	↑
MO	Whiteman AFB	F	21	85	↑
MS	Columbus AFB	F	11	22	↑
MS	Keesler AFB	J	151	265	↑
MS	NAS Meridian	N	16	20	↑
MT	Malmstrom AFB	F	62	168	↑
NC	Camp Lejeune	N	658	1351	↑
NC	Ft Bragg	J	1418	2339	↑
NC	MCAS Cherry Point	N	48	95	↑
NC	Pope Army Airfield	J	7	30	↑
NC	Seymour Johnson AFB	J	114	168	↑
ND	Grand Forks AFB	F	10	43	↑
ND	Minot AFB	F	38	289	↑
NE	Offutt AFB	F	88	333	↑
NH	Portsmouth	N	7	36	↑
NJ	JB McGuire-Dix-Lakehurst	F	411	656	↑
NM	Cannon AFB	F	54	231	↑
NM	Holloman AFB	F	166	400	↑
NM	Kirtland AFB	F	46	130	↑
NM	White Sands Missile Range	A	2	31	↔
NV	Nellis AFB	F	458	909	↑
NY	Ft Drum	A	176	778	↑
NY	West Point	A	134	207	↑

NORTHCOM Laboratory-Confirmed Influenza

(2021-2022 Season: Week 52)

Laboratory-Confirmed Influenza (All Beneficiaries) by Installation Ohio through Wyoming

State	Location	Service	A (not subtyped)		A (H1N1)		A (H3N2)		A & B		B		Total positive	Total tested	% Positive	Change from past 2 weeks
			2 wks	Season	2 wks	Season	2 wks	Season	2 wks	Season	2 wks	Season	2 wks	2 wks	2 wks	
OH	Wright-Patterson AFB	F	32	66	0	0	12	13	0	0	0	0	44	795	6	↓
OK	Altus AFB	F	9	13	0	0	0	0	0	0	1	1	10	100	10	↓
OK	Ft Sill	A	14	65	0	0	0	0	0	0	0	2	14	200	7	↓
OK	Tinker AFB	F	0	0	0	0	6	17	0	0	0	0	6	149	4	↓
OK	Vance AFB	F	0	2	0	0	1	5	0	0	0	0	1	8	13	↓
PA	Carlisle Barracks	A	1	9	0	0	0	0	0	0	0	1	1	36	3	↓
PR	Ft Buchanan	A	0	0	0	0	0	0	0	0	0	0	0	7	0	↔
RI	NHC New England	N	1	2	0	0	0	0	0	0	0	0	1	6	17	↓
SC	Ft Jackson	A	13	51	0	0	0	2	0	0	0	0	13	97	13	↑
SC	JB Charleston	J	1	19	0	0	0	3	0	0	0	1	1	170	1	↑
SC	MCAS Beaufort	N	3	7	0	0	3	16	0	0	0	0	6	80	8	↓
SC	Parris Island	N	26	57	0	0	0	0	0	0	4	13	30	146	21	↓
SC	Shaw AFB	F	4	18	0	0	0	0	0	0	0	0	4	229	2	↔
SD	Ellsworth AFB	F	3	23	0	0	0	0	0	0	0	0	3	24	13	↓
TN	Ft Campbell	A	1	11	0	0	0	0	0	0	1	1	2	67	3	↓
TN	NSA Mid-South	N	1	5	0	0	0	0	0	0	2	2	3	95	3	↓
TX	Dyess AFB	F	3	12	0	0	0	0	0	0	1	9	4	95	4	↓
TX	Ft Bliss	A	26	32	0	0	2	14	0	0	0	1	28	700	4	↓
TX	Ft Hood	A	14	44	0	0	2	2	1	3	2	14	19	560	3	↓
TX	Goodfellow AFB	F	3	16	0	0	0	0	0	0	0	2	3	77	4	↓
TX	JB San Antonio	J	64	163	0	0	0	3	1	11	0	1	65	3304	2	↓
TX	Laughlin AFB	F	1	3	0	0	0	0	0	1	0	0	1	6	17	↑
TX	NAS Corpus Christi	N	0	1	0	0	0	2	0	0	0	2	0	15	0	↔
TX	NAS JRB Fort Worth	N	0	0	0	0	0	0	0	0	0	0	0	1	0	↔
TX	NAS Kingsville	N	0	0	0	0	0	0	0	0	0	0	0	0	0	↔
TX	Sheppard AFB	F	0	0	0	0	6	16	0	0	0	0	6	153	4	↓
UT	Hill AFB	F	0	0	0	0	0	0	0	0	0	0	0	0	0	↔
VA	Ft Belvoir	J	14	74	0	0	0	3	0	0	0	3	14	766	2	↓
VA	Ft Lee	A	2	8	0	0	0	0	0	0	0	1	2	274	1	↑
VA	JB Langley-Eustis	J	4	28	0	0	4	9	0	1	0	0	8	804	1	↔
VA	JB Little Creek-Ft Story	J	0	0	0	0	0	1	0	0	0	0	0	3	0	↔
VA	JB Myer-Henderson Hall	A	0	0	0	0	1	3	0	0	0	0	1	12	8	↓
VA	MCB Quantico	N	1	15	0	0	0	0	0	0	0	0	1	129	1	↓
VA	NAS Oceana	N	0	0	0	1	2	5	0	0	0	0	2	18	11	↑
VA	NB Dam Neck	N	0	0	0	0	1	5	0	0	0	0	1	28	4	↓
VA	NS Norfolk	N	0	0	0	0	1	3	0	0	0	0	1	6	17	↓
VA	NWS Dahlgren	N	0	0	0	0	0	0	0	0	0	0	0	42	0	↔
VA	NWS Yorktown	N	4	4	0	0	1	4	0	0	0	0	5	18	28	↓
VA	Portsmouth	N	0	0	0	0	4	20	0	0	0	0	4	276	1	↓
VA	TPC Chesapeake	N	0	0	0	0	0	0	0	0	0	0	0	4	0	↔
VA	TPC Suffolk	N	0	0	0	0	0	0	0	0	0	0	0	0	0	↔
WY	FE Warren AFB	F	0	2	0	0	0	0	0	0	0	0	0	0	0	↔

NORTHCOM COVID-19 Cases

(2021-2022 Season: Week 52)

COVID-19 Cases Since Week 40 (All Beneficiaries) by Installation Ohio through Wyoming

State	Location	Service	COVID-19		Change from past 2 weeks
			2 wks	Since week 41	
OH	Wright-Patterson AFB	F	542	1195	↑
OK	Altus AFB	F	28	93	↑
OK	Ft Sill	A	163	483	↑
OK	Tinker AFB	F	73	165	↑
OK	Vance AFB	F	18	49	↑
PA	Carlisle Barracks	A	48	177	↑
PR	Ft Buchanan	A	25	35	↓
RI	NHC New England	N	61	87	↑
SC	Ft Jackson	A	244	556	↑
SC	JB Charleston	J	81	112	↑
SC	MCAS Beaufort	N	50	75	↑
SC	Parris Island	N	76	182	↑
SC	Shaw AFB	F	148	255	↑
SD	Ellsworth AFB	F	49	180	↑
TN	Ft Campbell	A	1	4	↔
TN	NSA Mid-South	N	40	57	↑
TX	Dyess AFB	F	32	64	↑
TX	Ft Bliss	A	669	1663	↑
TX	Ft Hood	A	1024	1859	↑
TX	Goodfellow AFB	F	15	29	↑
TX	JB San Antonio	J	2156	2987	↑
TX	Laughlin AFB	F	19	32	↑
TX	NAS Corpus Christi	N	14	18	↑
TX	NAS JRB Fort Worth	N	3	4	↔
TX	NAS Kingsville	N	2	3	↔
TX	Sheppard AFB	F	69	145	↑
UT	Hill AFB	F	62	246	↓
VA	Ft Belvoir	J	1423	2256	↑
VA	Ft Lee	A	213	315	↑
VA	JB Langley-Eustis	J	599	1030	↑
VA	JB Little Creek-Ft Story	J	347	422	↑
VA	JB Myer-Henderson Hall	A	228	298	↑
VA	MCB Quantico	N	74	109	↑
VA	NAS Oceana	N	7	34	↑
VA	NB Dam Neck	N	8	11	↑
VA	NBHC Chesapeake	N	6	6	↔
VA	NS Norfolk	N	14	29	↑
VA	NWS Dahlgren	N	14	25	↑
VA	NWS Yorktown	N	18	25	↑
VA	Portsmouth	N	2932	3788	↑
VA	TPC Chesapeake	N	1	1	↔
VA	TPC Suffolk	N	1	1	↔
WY	FE Warren AFB	F	93	158	↑

Surveillance Programs and Data Sources

Defense Health Agency / Armed Forces Health Surveillance Division (AFHSD):

The Armed Forces Health Surveillance Division (AFHSD) is the central epidemiologic resource for the U.S. Armed Forces, conducting medical surveillance to protect those who serve our nation in uniform and allies who are critical to our national security interests. The Epidemiology and Analysis Section of AFHSD, the Epi Data Center of the Navy and Marine Corps Public Health Center, and the Air Force Satellite Office in Dayton, Ohio (Wright-Patterson AFB) have compiled data for this report from the following sources below.

Influenza-like Illness Activity:

Medical encounter and demographic data from the AFHSD's Defense Medical Surveillance System (DMSS) are used to generate portions of this report. ICD-10 codes from outpatient encounters are used to identify influenza-like illness (ILI). ILI is defined using the following codes: B97.89, H66.9, H66.90, H66.91, H66.92, H66.93, J00, J01.9, J01.90, J06.9, J09, J09.X, J09.X1, J09.X2, J09.X3, J09.X9, J10, J10.0, J10.00, J10.01, J10.08, J10.1, J10.2, J10.8, J10.81, J10.82, J10.83, J10.89, J11, J11.0, J11.00, J11.08, J11.1, J11.2, J11.8, J11.81, J11.82, J11.83, J11.89, J12.89, J12.9, J18, J18.1, J18.8, J18.9, J20.9, J40, R05, R50.9.

The percentage of all outpatient visits that have an ILI code is calculated each week for all service members, regardless of component. These data are presented weekly for the current season and compared to the four prior seasons among service members. Influenza activity levels are calculated by comparing the mean reported percent of visits due to ILI for the previous two weeks to the mean reported percent of visits due to ILI during baseline weeks (defined as non-influenza weeks (weeks 22-39) over the past 3 years). Since the 2020-2021 influenza season was nearly non-existent due to COVID-19 mitigation efforts, this season was excluded from the baseline calculations. The baseline weeks for the 2021-2022 report are from the years 2018, 2019, and 2020. There are four influenza activity levels, minimal, low, moderate, and high. The activity level corresponds to the number of standard deviations (SD) below, at or above the mean for the current 2 week period compared to the mean of the baseline weeks. Minimal activity corresponds to an influenza percentage that is less than 2 SD above the mean. Low activity corresponds to an influenza percentage that is equal to or greater than 2 SD above the mean, but less than 4 SD above the mean. Moderate activity corresponds to an influenza percentage that is equal to or greater than 4 SD above the mean, but less than 6 SD above the mean. High activity corresponds to an influenza percentage that is equal to or greater than 6 SD above the mean.

Influenza activity levels are presented in the Combatant Command (CCMD) maps, either by Installation, state, or country.

Influenza Positive Specimens:

Influenza lab results (HL-7 formatted data) are compiled and transmitted from the Navy and Marine Corps Public Health Center to AFHSD. Results obtained via PCR, viral culture, and rapid influenza assays are reported. Although the inclusion of rapid tests may underestimate the weekly and cumulative percent positive estimates due to false negatives, visibility of the positive rapid results provides valuable information for this surveillance report. Influenza types/subtypes are categorized as influenza A/not subtyped, influenza A(H1N1), influenza A(H3N2), influenza A and B co-infection, and influenza B. Additionally, laboratory-confirmed positive results are used to identify influenza-related hospitalization cases across the DoD.

The percent positivity is calculated by dividing the number of influenza positive specimens by the total number of specimens (positive and negative only; inconclusive results are excluded). The distributions of percent positive specimens by subtype are presented on a weekly basis for the entire influenza season. For each CCMD state, the distribution of subtypes for the previous 2 weeks are presented as pie graphs for states and countries. For installations, data are presented in tables with counts and percent positive by subtype for the past 2 weeks and for the entire season. The "change from last report" column reports the absolute difference in the percent positive from the prior week's report to the current week's report.

Surveillance Programs and Data Sources

COVID-19 Cases:

COVID-19 case data are compiled from the COVID-19 positive lab results (HL-7 formatted data) and cases reported in the DRSI. The percent positivity calculation is restricted to only COVID-19 cases reported through the lab data so that an accurate denominator can be obtained. The percent positivity is calculated by dividing the number of COVID-19 positive specimens by the total number of specimens tested for COVID-19. For installations, COVID-19 case data are presented in tables with case counts for the past 2 weeks and for the entire influenza season (Week 40 to current). The “change from last report” column reports the absolute difference in the number of COVID-19 case counts from the prior week’s report to the current week’s report.

Pharmacy Transactions for Dispensed Influenza Antiviral Prescriptions:

HL7-formatted pharmacy transactions are used to assess the number of dispensed influenza antiviral (AV) prescriptions. Four influenza AV medications approved by the Food and Drug Administration (FDA) are recommended by the CDC for use in the United States (US) for the 2019-2020 influenza season: oral oseltamivir (Tamiflu® or generic), inhaled zanamivir (Relenza®), and intravenous peramivir (Rapivab®), and baloxavir marboxil (Xofluza®). These prescriptions are included in this surveillance. The overall count of dispensed AV prescriptions by week is presented graphically for the influenza season. A seasonal baseline is displayed with dispensed AV prescriptions. Surveillance thresholds are displayed with the count of inpatient dispensed AV prescriptions. Additionally, counts of inpatient dispensed influenza AV prescriptions are presented weekly for the influenza season.

Influenza Baselines, Thresholds, and Trends:

Weekly baselines used a three-year average to compare results with those from the same week during the previous three seasons. Since the 2020-2021 influenza season was nearly non-existent due to COVID-19 mitigation efforts, this season was excluded from the baseline calculations. The baseline calculations used the 2017-2018, 2018-2019, and 2019-2020 season data. Bands for one and two standard deviations above seasonal baseline estimates are displayed to indicate when trends diverge with respect to timing or volume from those of recent seasons. The ILI, lab, and dispensed AV prescription data thresholds are calculated by adding two standard deviations to the off-season average.

Inpatient thresholds (lab and dispensed AV prescription data) are calculated by adding one standard deviation to the overall weighted average for in-season weeks. Weeks that represent at least 2% of the total season’s laboratory-positive influenza cases for at least two consecutive weeks was considered to be “in-season” or influenza weeks; all other weeks are considered to be “off-season” or non-influenza weeks.

Links to Service-Specific Influenza Reports:

Select the following links to see service-specific influenza surveillance weekly reports:

- Navy and Marine Corps Public Health Center (NMCPHC):
<https://www.med.navy.mil/sites/nmcphc/epi-data-center/influenza/Pages/default.aspx>
- United States Air Force School of Aerospace Medicine (USAFSAM)/Defense Health Agency (DHA):
<https://hpws.afrl.af.mil/epi-consult/influenza/ActivityUpdates.cfm>