

29 July 2024

**DEERS Person Detail  
for the MHS Mart (M2)  
(Version 1.12.02)**

**Current Specification**

## Revision History

Version	Date	Originator	Para/Tbl/Fig	Description of Change
1.00.00	10/23/2007	J. Hufford	<ul style="list-style-type: none"> <li>• Whole document</li> </ul>	<ul style="list-style-type: none"> <li>• Initial versioning.</li> </ul>
1.01.00	02/10/2011	J. Hufford	<ul style="list-style-type: none"> <li>• Table 1, HCDP Code Logic</li> </ul>	<ul style="list-style-type: none"> <li>• Added logic for TRICARE Retired Reserve</li> </ul>
1.02.00	03/04/2011	J. Hufford	<ul style="list-style-type: none"> <li>• Table 1, HCDP Code Logic</li> </ul>	<ul style="list-style-type: none"> <li>• Added logic for TRICARE Young Adult (TYA)</li> </ul>
1.03.00	04/28/2011	K. Hutchinson for J. Hufford	<ul style="list-style-type: none"> <li>• Section V</li> </ul>	<ul style="list-style-type: none"> <li>• Renamed “GWOT” to “OCO”</li> </ul>
1.04.00	03/05/2012	K. Hutchinson for J. Hufford	<ul style="list-style-type: none"> <li>• Table 1</li> <li>• Section V and Table 2</li> </ul>	<ul style="list-style-type: none"> <li>• Added note that Person ID and PCM ID is only for the restricted universe.</li> <li>• Moved information from Section V M2-Inferred Fields to the newly created Section VI and Table 2</li> <li>• Added Pseudo Person ID and Pseudo PCM ID to Table 2</li> </ul>
1.05.00	05/22/2012	K. Hutchinson for J. Hufford	<ul style="list-style-type: none"> <li>• Table 1</li> <li>• Section V and Table 2</li> </ul>	<ul style="list-style-type: none"> <li>• Remove encryption of PCM ID.</li> </ul>
1.06.00	05/31/2012	K. Hutchinson for J. Hufford	<ul style="list-style-type: none"> <li>•</li> </ul>	<ul style="list-style-type: none"> <li>• Added Enrollment MEPRS Code and Medical Home Flag</li> </ul>
1.07.00	04/04/2013	K. Hutchinson for J. Hufford	<ul style="list-style-type: none"> <li>• Table 2</li> </ul>	<ul style="list-style-type: none"> <li>• Modified ACV Group for ACV R and V</li> </ul>
1.07.01	01/16/2014	J. Hufford	<ul style="list-style-type: none"> <li>• Table 1</li> </ul>	<ul style="list-style-type: none"> <li>• Changed “DDS” label to “High Cost User Flag”</li> </ul>
1.08.00	2/3/2014	J. Hufford	<ul style="list-style-type: none"> <li>• Table 1</li> </ul>	<ul style="list-style-type: none"> <li>• Provided MDR source for High Cost User Flag</li> </ul>
1.09.00	2/6/2014	J. Hufford	<ul style="list-style-type: none"> <li>• Table 1</li> </ul>	<ul style="list-style-type: none"> <li>• Changed “Eligibility Indicator” label to “Dental Readiness Classification” and provided MDR source for field</li> </ul>
1.10.00	2/16/2015	J. Hufford	<ul style="list-style-type: none"> <li>• Table 1</li> </ul>	<ul style="list-style-type: none"> <li>• Changed Beneficiary Region and Enrollment Region source to corresponding T3 Region</li> </ul>
1.11.00	8/21/2017	B. Ross for W. Funk	<ul style="list-style-type: none"> <li>• Table 1</li> <li>• Table 2</li> </ul>	<ul style="list-style-type: none"> <li>• Added numerous new fields related to NDAA and region transition. Renamed HCDP code</li> <li>• Hid region fields</li> </ul>

Version	Date	Originator	Para/Tbl/Fig	Description of Change
1.11.01	10/13/2017	B. Ross for W. Funk	<ul style="list-style-type: none"> <li>Table 1</li> </ul>	<ul style="list-style-type: none"> <li>Hide Medical Home Flag</li> <li>Change field text for consistency</li> <li>Changed Eligibility Group and Enrollment Group Type to \$1)</li> </ul>
1.11.02	11/13/2017	John Hufford	<ul style="list-style-type: none"> <li>Table 1</li> </ul>	<ul style="list-style-type: none"> <li>Added source field for Enrollment MEPRS Code and Medical Home Flag</li> <li>Added post-01 January 2018 logic for HCDP – Enrolled</li> <li>Added source field for HCDP – Assigned</li> <li>Added noted that Enrollment Group and Entitlement Group populated post-01 January 2018 Only</li> <li>Added note to blank fill Grandfather Flag</li> <li>Added draft source field for Enrollment Begin Date</li> </ul>
1.11.03	2/20/2018	Wendy Funk	<ul style="list-style-type: none"> <li>Table 1</li> </ul>	<ul style="list-style-type: none"> <li>Changed rule for ACV Group</li> </ul>
1.11.04	3/26/2018	K. Hofmann	<ul style="list-style-type: none"> <li>Table 1</li> </ul>	<ul style="list-style-type: none"> <li>Changed length of DoD Occupation Code to \$6 (from \$4)</li> </ul>
1.11.05	9/22/2018	B. Ross	<ul style="list-style-type: none"> <li>Table 1</li> </ul>	<ul style="list-style-type: none"> <li>Changed ACV Group Business Rule</li> </ul>
1.11.06	4/30/2019	W. Funk	<ul style="list-style-type: none"> <li>Table 1</li> </ul>	<ul style="list-style-type: none"> <li>Added new fields related to the PCM to table 1.</li> </ul>
1.11.07	7/31/2019	K. Hofmann	<ul style="list-style-type: none"> <li>Table 1</li> </ul>	<ul style="list-style-type: none"> <li>Revised the layout of the M2 extract to match what the M2 is receiving.</li> </ul>
1.11.08	10/10/2019	K. Hofmann	<ul style="list-style-type: none"> <li>Table 1</li> </ul>	<ul style="list-style-type: none"> <li>Keep the full length of the Beneficiary First and Last Name to match what is in MDR</li> </ul>
1.11.09	6/19/2020	Wendy Funk	<ul style="list-style-type: none"> <li>Table 1</li> <li>Table 2</li> </ul>	<ul style="list-style-type: none"> <li>Added fields to table 1</li> <li>Added fields to table 2</li> </ul>
1.11.10	8/25/2020	K. Hofmann	<ul style="list-style-type: none"> <li>Table 1</li> </ul>	<ul style="list-style-type: none"> <li>Revised rules for enrollment regions (T3 and T17) to only keep enrollment region for active enrollments.</li> </ul>
1.12.0	04/07/2021	W. Funk and J. MacLeod	<ul style="list-style-type: none"> <li>Table 2</li> </ul>	<ul style="list-style-type: none"> <li>Added Accrued Risk to Date, No Truncation and Accrued Risk to Date, 100k Truncation</li> </ul>
1.12.01	11/5/2021	K. Hofmann	<ul style="list-style-type: none"> <li>Table 1</li> </ul>	<ul style="list-style-type: none"> <li>Edited transformation rules for new PCM fields to only count active PCMs</li> </ul>
1.12.02	07/29/2024	W. Funk and J. MacLeod	<ul style="list-style-type: none"> <li>Table 1</li> <li>Table 2</li> </ul>	<ul style="list-style-type: none"> <li>Moved the fields “Added Accrued Risk to Date, No Truncation” and “Accrued Risk to Date, 100k Truncation” from Table 1 to Table 2.</li> </ul>

## M2 DEERS Person Detail Table

### I. Source

Input Feed: The M2 DEERS Person Detail is populated using an extract from the monthly MDR DEERS VM6 files; which are described in the MDR VM6 Functional Specification. Newly processed files are available monthly.

### II. Transmission Frequency

Refresh Batches: M2 DEERS Person Detail extracts are prepared monthly from the processed MDR VM6 files. The MDR walkback processor produces at least six monthly refreshes each month, in addition to the most recent month’s snapshot.

### III. Record Selection

Records that meet both of the following criteria are selected from the MDR VM6 file to create the M2 DEERS Person Detail file:

- Medical Eligibility Indicator=1 (D\_MHS\_ELIG\_INDIC )
- Primary Record Indicator=1 (D\_PRIMARY\_RECORD\_FLAG)

No other filters are applied, either in the process that creates the M2 DEERS Person Detail, or once the file is received for loading in the M2.

### IV. Updating the Master Tables

Each monthly DEERS Person Detail data feed will be appended to the corresponding FY table. In addition to the current partial FY, M2 shall retain all months for the two most recent full fiscal years, with only the FY-end month for years older than that. As monthly files are updated by the MDR walkback process and new extracts are created, the updated month’s file shall replace previous versions of the given month’s data.

### V. File Format, Layout, and Content

Fields are delimited by “|”. Table 1 displays the contents and layout of the PITE feed to the M2.

**Table 1: M2 DEERS Person Detail File Layout**

M2 Field Name	Length	Source Element Name	Business Rule
Age	\$3	D_AGE_Q Y	No Transformation
Age Group Code	\$1	D_AGE_G ROUP_CD	No Transformation

<b>M2 Field Name</b>	<b>Length</b>	<b>Source Element Name</b>	<b>Business Rule</b>
Assigned UIC	\$8	ASSGN_UI C	No Transformation
Attached UIC	\$8	ATTCH_UI C	No Transformation
Beneficiary Category	\$3	R_BEN_CA T_CD	No Transformation
Blood Type Code	\$1	BLD_TYP_ CD	No Transformation
Catchment Area ID of Record	\$4	D_CATCH _AREA_C D	No Transformation
Civilian Health Care Benefit Code	\$1	CHC_CD	No transformation in M2. In creating M2 feed, if (CHC_BELIG_DT is valid and CHC_BELIG_DT <= extract date) and (CH_EELIG_DT >= extract date or blank) then fill with CHC_CD; else blank fill.
Ben Cat Common	\$1	D_COM_B EN_CAT_C D	No transformation
Dependent Quantity	\$2	MDR_M2_ DEP_QY	No transformation
Direct Care Benefit Type Code	\$1	DC_CD	No transformation in M2. In creating M2 feed, if (DC_BELIG_DT valid and DC_BELIG_DT <= extract date) and (DC_EELIG_DT => extract date or blank) then fill with DC_CD; else blank fill.
DoD Occupation Code	\$6	DOD_OCC _CD	No Transformation
Ethnicity	\$1	ETHNC_N AT_ORIG_ CD	No Transformation

<b>M2 Field Name</b>	<b>Length</b>	<b>Source Element Name</b>	<b>Business Rule</b>
Medicare Pharmacy Indicator	\$1	Derived from MDC_D_EFF_DT and MDC_D_EXP_DT	No transformation in M2. In creating M2 feed, if (MDC_D_EFF_DT valid and MDC_D_EFF_DT <= extract date ) and (MDC_D_EXP_DT=> extract date or blank) then fill with 'Y', else fill with 'N'.
High Cost User Flag	\$2	D_HIGH_COST_USER	No Transformation
Marital Status	\$1	MDR_MARITAL_AGG	No Transformation
Privilege Code	\$1	D_ELG_CD	No Transformation
Medicare Eligibility Code	\$1	D_MDC_ELIG_CD	No transformation
Dental Readiness Classification	\$1	D_DRC	No Transformation
Sponsor Pay Grade	\$2	PG_CD	No Transformation
Pay Plan	\$5	PAY_PLN_CD	No Transformation
Date of Birth	\$8	PN_BRTH_DT	No Transformation
Beneficiary First Name	\$20	PN_1ST_NM	No Transformation
Beneficiary ID	\$9	PN_ID	No Transformation
Beneficiary ID Type Code	\$1	PN_ID_TY_P_CD	No Transformation
Beneficiary Last Name	\$26	PN_LST_NM	No Transformation
Gender	\$1	PN_SEX_CD	No Transformation
Beneficiary Type Code	\$1	PN_TYP_CD	No Transformation
Pharmacy Coverage Code	\$3	PHM_CVG_CD	No Transformation

<b>M2 Field Name</b>	<b>Length</b>	<b>Source Element Name</b>	<b>Business Rule</b>
Population Sector	\$1	D_MHS_P OP_SECTO R_CD	No Transformation
PRISM Area ID of Record	\$4	D_PRISM_ CD	No Transformation
Race	\$1	RACE_CD	No Transformation
Race/Ethnicity	\$1	RACE_ET HNC_CD	No Transformation
Beneficiary Country Code	\$2	DRVD_LO C_CTRY_C D	No Transformation
Beneficiary State	\$2	DRVD_LO C_ST_CD	No Transformation
Beneficiary ZIP Code	\$5	D_ZIP_CD	No Transformation
Sponsor ID	\$9	SPN_PN_I D	No Transformation Only visible in restricted universe.
Sponsor ID Type Code	\$1	SPN_PN_I D_TYP_CD	No Transformation
Sponsor Service, Aggregate	\$1	D_SPON_B R_SVC_CD	No Transformation
Sponsor Status	\$1	PNL_CAT_ CD	No Transformation

M2 Field Name	Length	Source Element Name	Business Rule
Sponsor Service	\$1	SVC_CD	No Transformation
ACV	\$1	MDR_ACV	No transformation
Enrollment Site	\$4	D_MI_PCM _EDVSN_D _MIS_ID	No transformation in M2. In creating M2 feed, if (D_MI_PCM_SLCT_BGN_DT valid and D_MI_PCM_SLCT_BGN_DT <= extract date) and (D_MI_PCM_SLCT_END_DT => extract date or blank) then fill with D_MI_PCM_EDVSN_DMIS_ID; else fill with "NONE".
PCM ID	\$18	D_MI_PCM _ID	No transformation in M2. In creating M2 feed, if (D_MI_PCM_SLCT_BGN_DT valid and D_MI_PCM_SLCT_BGN_DT <= extract date) and (D_MI_PCM_SLCT_END_DT => extract date or blank) then truncate D_MI_PCM_ID after 18 characters, else blank fill.
PCM ID Type Code	\$1	D_MI_PCM _ID _TYP_CD	No transformation in M2. In creating M2 feed, if (D_MI_PCM_SLCT_BGN_DT valid and D_MI_PCM_SLCT_BGN_DT <= extract date) and (D_MI_PCM_SLCT_END_DT => extract date or blank) then use D_PCM_ID_TYP_CD, else blank fill.



M2 Field Name	Length	Source Element Name	Business Rule
Person ID	\$10	DOD_EDI_PN_ID	No transformation Only visible in the restricted universe.
HCDP - Enrolled	\$3	D_MI_HCDP_PLN_CVG_CD	<p>No transformation in M2. In creating M2 feed, if VM extract date prior to 01 January 2018 then:</p> <p>(1.) D_MI_HCDP_PLN_CVG_CD in (401,402, 405-414,418-421,422-432) and (D_MI_EMC_ENRL_BGN_DT valid and D_MI_EMC_ENRL_BGN_DT &lt;= extract date ) and (D_MI_EMC_ENRL_END_DT =&gt; extract date or blank); or</p> <p>(2.) D_MI_HCDP_PLN_CVG_CD NOT in (401,402, 405-414, ,418-421,422-432) and (D_MI_PCM_SLCT_BGN_DT valid and D_MI_PCM_SLCT_BGN_DT &lt;= extract date ) and (D_MI_PCM_SLCT_END_DT =&gt; extract date or blank)</p> <p>then fill with D_MI_HCDP_PLN_CVG_CD; else blank fill.</p> <p>Else if VM extract date on or after 01 January 2018 then:</p> <p>(If D_MI_EMC_ENRL_BGN_DT valid and &lt;= extract date) and (D_MI_EMC_ENRL_END_DT =&gt; extract date or blank) then fill with D_MI_HCDP_PLN_CVG_CD; Else blank fill.</p>
AD Strength Accounting Code	\$3	AD_STR_A_CCT_CD	No transformation in M2
AGR Service Legal Authority	\$1	AGR_SVC_LGL_AUTH_CD	No transformation in M2

<b>M2 Field Name</b>	<b>Length</b>	<b>Source Element Name</b>	<b>Business Rule</b>
PCM Provider Type	\$1	D_MI_PCM_PROV_TY_P_CD	No transformation in M2. In creating M2 feed, if (D_MI_PCM_SLCT_BGN_DT valid and D_MI_PCM_SLCT_BGN_DT <= extract date) and (D_MI_PCM_SLCT_END_DT => extract date or blank) then use D_MI_PCM_PROV_TYP_CD, else blank fill.
PCM Specialty	\$3	D_MI_PCM_SPCL_CD	No transformation in M2. In creating M2 feed, if (D_MI_PCM_SLCT_BGN_DT valid and D_MI_PCM_SLCT_BGN_DT <= extract date) and (D_MI_PCM_SLCT_END_DT => extract date or blank) then use D_MI_PCM_SPCL_CD, else blank fill.
Dental HCDP Code	\$3	DI_HCDP_PLN_CVG_CD	No transformation in M2. In creating M2 feed, if (DI EMC_ENRL_BGN_DT valid and DI EMC_ENRL_BGN_DT <= extract date) and (DI EMC_ENRL_END_DT => extract date or blank) then use DI_HCDP_PLN_CVG_CD, else blank fill.
OHI Dental Flag	\$1	OHI_DNT_IND_CD	No transformation in M2
OHI Medical Flag	\$1	OHI_MED_IND_CD	No transformation in M2
OHI Mental Health Flag	\$1	OHI_MH_IND_CD	No transformation in M2
OHI Pharmacy Flag	\$1	OHI_PHM_IND_CD	No transformation in M2

<b>M2 Field Name</b>	<b>Length</b>	<b>Source Element Name</b>	<b>Business Rule</b>
Personnel Entitlement Condition	\$2	PNLEC_TY P_CD	No transformation in M2. In creating M2 feed, if (PNLEC_BGN_DT valid and PNLEC_BGN_DT <= extract date) and (PNLEC_END_DT => extract date or blank) then use PNLEC_TYP_CD, else blank fill.
Person Association Reason Code	\$2	PNA_RSN_ CD	No transformation in M2
TPR Eligibility Flag	\$1	D_TPR_EL G_CD	No transformation in M2
Enrollment MEPRS Code	\$4	D_MEPRS_ CODE	No transformation. Populated FY11+.
Eligibility Group	\$1	D_ELGR_P_ CD	No transformation. Populated for VM extracts 01 January 2018 and later only.
Enrollment Group	\$1	D_ENR_G RP_CD	No transformation. Populated for VM extracts 01 January 2018 and later only.
Enrollment PCM Type	\$1	D_PCM_T YPE_CD	No transformation.
HCDP - Assigned	\$3	ASG_HCD P_ PLN_CVG_ CD	No transformation in M2. In creating M2 feed, if (ASG_HCDP_BGN_DT valid and ASG_HCDP_BGN_DT <= extract date) and (ASG_HCDP_END_DT => extract date or blank) then fill with D_MI_HCDP_PLN_CVG_CD; else blank fill.
Beneficiary T3 Region	\$2	D_T3_RES _REGION_ CD	No transformation

<b>M2 Field Name</b>	<b>Length</b>	<b>Source Element Name</b>	<b>Business Rule</b>
Beneficiary T17 Region	\$2	D_T17_RE S_REGION _CD	No transformation
Enrollment Site T3 Region	\$2	D_T3_ENR _RGN_CD	No transformation in M2. In creating M2 feed, if (D_MI_PCM_SLCT_BGN_DT valid and D_MI_PCM_SLCT_BGN_DT <= extract date) and (D_MI_PCM_SLCT_END_DT => extract date or blank) then fill with D_T3_ENR_RGN_CD; else blank fill.
Enrollment Site T17 Region	\$2	D_T17_EN R_RGN_C D	No transformation in M2. In creating M2 feed, if D_ENR_GRP_CD = S or (D_MI_PCM_SLCT_BGN_DT valid and D_MI_PCM_SLCT_BGN_DT <= extract date) and (D_MI_PCM_SLCT_END_DT => extract date or blank) then fill with D_T17_ENR_RGN_CD; else blank fill.
TAMP Flag	\$1	D_TAMP_F LAG	No transformation
Grandfather Flag	\$1	D_GRAND FATHER_C D	Blank fill HIDE
Enrollment Begin Date	YYMMD D	D_MI_EM C_ENRL_B GN_DT	No transformation in M2. In creating M2 feed, if (D_MI EMC_ENRL_BGN date valid and <= extract date) and (D_MI EMC_ENRL_END_DT => extract date or blank) then fill with D_MI EMC_ENRL_BGN_DT); Else blank fill.
Risk Score, No Truncation	7.4	D_RISK_T RUNC_NO	No transformation
Risk Score, 100K Truncation	7.4	D_RISK_T RUNC_100	No transformation

<b>M2 Field Name</b>	<b>Length</b>	<b>Source Element Name</b>	<b>Business Rule</b>
ACV Group	\$15	D_ACV_G ROUP_CD	No transformation in M2. Only populated prior to calendar year 2019. In MDR, when preparing the M2 feed map; “PR” to “Prime” “DP” to “Desig Prov” “OP” to “Overseas Remote” “PL” to “Plus” “O” to “Other” “R” to “Reliant”
PCM Name	\$40	D_MI_PCM _NM	No transformation in M2. In creating M2 feed, if (D_MI_PCM_SLCT_BGN_DT valid and D_MI_PCM_SLCT_BGN_DT <= extract date) and (D_MI_PCM_SLCT_END_DT => extract date or blank) then use D_MI_PCM_NM, else blank fill.
PCM Place of Care	\$32	D_MI_PLO C_ID	No transformation in M2. In creating M2 feed, if (D_MI_PCM_SLCT_BGN_DT valid and D_MI_PCM_SLCT_BGN_DT <= extract date) and (D_MI_PCM_SLCT_END_DT => extract date or blank) then use D_MI_PLOC_ID, else blank fill.
PCM Group Name	\$32	D_MI_PCM _GRP_ID	No transformation in M2. In creating M2 feed, if (D_MI_PCM_SLCT_BGN_DT valid and D_MI_PCM_SLCT_BGN_DT <= extract date) and (D_MI_PCM_SLCT_END_DT => extract date or blank) then use D_MI_PCM_GRP_ID, else blank fill.
PCM NPI	\$10	D_PCM_N P_ID	No transformation in M2. In creating M2 feed, if (D_MI_PCM_SLCT_BGN_DT valid and D_MI_PCM_SLCT_BGN_DT <= extract date) and (D_MI_PCM_SLCT_END_DT => extract date or blank) then use D_PCM_NP_ID, else blank fill.

<b>M2 Field Name</b>	<b>Length</b>	<b>Source Element Name</b>	<b>Business Rule</b>
Accrued Risk to Date, No Truncation	10.4	RANGE_T RUNC_NO	No transformation
Accrued Risk to Date, 100k Truncation	10.4	RANGE_T RUNC 100	No transformation

## VI. Appended Fields

The M2 has many data fields that are viewed in the M2 either by joining to another table, or through data element additions made during loading of the data. Table 2 describes these elements and the rules to create them.

**Table 2: M2 Appended/Inferred Objects**

<b>M2 Data Element</b>	<b>Processing Rule/Comments</b>
Beneficiary Count	Count rows.
Reservist Status Code	Join based on SSN and encounter date from DED data between begin and end dates of reservist status in Reservist Table. If no match found, leave blank. See Reservist Specification for more information.
Special Operations Code	Join based on SSN and encounter date from DED data between begin and end dates of reservist status in Reservist Table. If no match found, leave blank. See Reservist Specification for more information.
ACV Group - Legacy	Hide; coming from MDR
MTF Service Area	Use Sponsor Service Aggregate to aggregate so that A: Army, F: Air Force, N: Navy/Marines and O: Others. Then match Beneficiary Zip Code, FY/FM and the just-aggregated sponsor service to the Market Table (zip code, FY/FM and service) to retrieve the required data element. If no match found, leave blank. See Market Table specification for more information.
PRISM Area ID	Use Sponsor Service Aggregate to aggregate so that A: Army, F: Air Force, N: Navy/Marines and O: Others. Then match Beneficiary Zip Code, FY/FM and the just-aggregated sponsor service to the Market Table (zip code, FY/FM and service) to retrieve the required data element. If no match found, leave blank. See Market Table specification for more information.
Catchment Area ID	Use Sponsor Service Aggregate to aggregate so that A: Army, F: Air Force, N: Navy/Marines and O: Others. Then match Beneficiary Zip Code, FY/FM and the just-aggregated sponsor service to the Market Table (zip code, FY/FM and service) to retrieve the required data element. If no match found, leave blank. See Market Table specification for more information.

M2 Data Element	Processing Rule/Comments
Market Area ID	Match by Beneficiary Zip Code, FY and FM to the Market Table by zip code, FY and FM where the service is O to retrieve the required data element. If no match found, leave blank. See Market Table specification for more information.
Prime Service Area	Match by Beneficiary Zip Code, FY and FM to the Market Table by zip code, FY and FM where the service is O to retrieve the required data element. If no match found, leave blank. See Market Table specification for more information.
TPR Flag	Match by Beneficiary Zip Code, FY and FM to the Market Table by zip code, FY and FM where the service is O to retrieve the required data element. If no match found, leave blank. See Market Table specification for more information.
Beneficiary HSSC Region	HIDE See M2 Omni-CAD specification for business rules.
Enrollment Site Name	Match by Enrollment Site and FY to the DMIS ID table (DMISID, FY) to retrieve the required data element. If no match found, leave blank. See DMIS ID specification for more information.
Enrollment Site Command	Match by Beneficiary Zip Code, FY and FM to the Market Table by zip code, FY and FM where the service is O to retrieve the required data element. If no match found, leave blank. See Market Table specification for more information.
Enrollment Site DHP Code	Match by Beneficiary Zip Code, FY and FM to the Market Table by zip code, FY and FM where the service is O to retrieve the required data element. If no match found, leave blank. See Market Table specification for more information.
Enrollment Site HSSC Region	HIDE See M2 DMIS ID Index specification for business rules.
Enrollment Site Military Service	Match by Enrollment Site and FY to the DMIS ID table (DMISID, FY) to retrieve the required data element. If no match found, leave blank. See DMIS ID specification for more information.
Enrollment Site MSMA	Match by Enrollment Site and FY to the DMIS ID table (DMISID, FY) to retrieve the required data element. If no match found, leave blank. See DMIS ID specification for more information.
Enrollment Site Region	HIDE See M2 DMIS ID Index specification for business rules.
Enrollment Site Parent	Match by Enrollment Site and FY to the DMIS ID table (DMISID, FY) to retrieve the required data element. If no match found, leave blank. See DMIS ID specification for more information.

<b>M2 Data Element</b>	<b>Processing Rule/Comments</b>
Enrollment Site Parent Name	Match by Enrollment Site Parent and FY to the DMIS ID Index table (DMISID, FY) to retrieve the required data element. If no match found, leave blank. See DMIS ID specification for more information.
Enrollment Site Base Market	Match by Enrollment Site and FY to the DMIS ID Index table (DMISID, FY) to retrieve base market. If no match found, leave blank. See DMIS ID specification for more information
Enrollment Site Expanded Market	Match by Enrollment Site and FY to the DMIS ID Index table (DMISID, FY) to retrieve the expanded market. If no match found, leave blank. See DMIS ID specification for more information
Enrollment Site Reporting Market	Match by Enrollment Site and FY to the DMIS ID Index table (DMISID, FY) to retrieve the reporting market. If no match found, leave blank. See DMIS ID specification for more information
Enrollment Site Type of Market	Match by Enrollment Site and FY to the DMIS ID Index table (DMISID, FY) to retrieve the type of market. If no match found, leave blank. See DMIS ID specification for more information
Enrollment Site Financial Parent	Match by Enrollment Site and FY to the DMIS ID table (DMISID, FY) to retrieve the financial parent. If no match found, leave blank. See DMIS ID specification for more information.
Enrollment Site Financial Parent Name	Match by Enrollment Site Financial Parent and FY to the DMIS ID Index table (DMISID, FY) to retrieve the DMIS ID name. If no match found, leave blank. See DMIS ID specification for more information.
Enrollment Site Readiness Command	Match by Enrollment Site and FY to the DMIS ID table (DMISID, FY) to retrieve the readiness command. If no match found, leave blank. See DMIS ID specification for more information
MTF Service Area Name	Match by MTF Service Area and FY to the DMIS ID Index table (DMISID, FY) to retrieve the required data element. If no match found, leave blank. See DMIS ID specification for more information.
MTF Service Area Base Market	Match by MTF Service Area and FY to the DMIS ID Index table (DMISID, FY) to retrieve base market. If no match found, leave blank. See DMIS ID specification for more information
MTF Service Area Reporting Market	Match by MTF Service Area and FY to the DMIS ID Index table (DMISID, FY) to retrieve reporting market. If no match found, leave blank. See DMIS ID specification for more information



<b>M2 Data Element</b>	<b>Processing Rule/Comments</b>
MTF Service Area Expanded Market	Match by MTF Service Area and FY to the DMIS ID Index table (DMISID, FY) to retrieve expanded market. If no match found, leave blank. See DMIS ID specification for more information
MTF Service Type of Market	Match by MTF Service Area and FY to the DMIS ID Index table (DMISID, FY) to retrieve type of market. If no match found, leave blank. See DMIS ID specification for more information
Catchment Area Name	Match Catchment Area ID and FY to the DMIS ID table (DMISID, FY) to retrieve the required data element. If no match found, leave blank. See DMIS ID specification for more information.
Catchment Area Command	Match Catchment Area ID and FY to the DMIS ID table (DMISID, FY) to retrieve the required data element. If no match found, leave blank. See DMIS ID specification for more information.
Catchment Area Military Service	Match Catchment Area ID and FY to the DMIS ID table (DMISID, FY) to retrieve the required data element. If no match found, leave blank. See DMIS ID specification for more information.
Catchment Area MSMA	Match Catchment Area ID and FY to the DMIS ID table (DMISID, FY) to retrieve the required data element. If no match found, leave blank. See DMIS ID specification for more information.
Catchment Area Base Market	Match by Catchment Area and FY to the DMIS ID Index table (DMISID, FY) to retrieve base market. If no match found, leave blank. See DMIS ID specification for more information
Catchment Area Expanded Market	Match by Catchment Area and FY to the DMIS ID Index table (DMISID, FY) to retrieve expanded market. If no match found, leave blank. See DMIS ID specification for more information
Catchment Area Reporting Market	Match by Catchment Area and FY to the DMIS ID Index table (DMISID, FY) to retrieve reporting market. If no match found, leave blank. See DMIS ID specification for more information
Catchment Area Type of Market	Match by Catchment Area and FY to the DMIS ID Index table (DMISID, FY) to retrieve type of market. If no match found, leave blank. See DMIS ID specification for more information
PRISM Area Name	Match by PRISM Area ID and FY to the DMIS ID table (DMISID, FY) to retrieve the required data element. If no match found, leave blank. See DMIS ID specification for more information.

<b>M2 Data Element</b>	<b>Processing Rule/Comments</b>
PRISM Area Command	Match by PRISM Area ID and FY to the DMIS ID table (DMISID, FY) to retrieve the required data element. If no match found, leave blank. See DMIS ID specification for more information.
PRISM Area Military Service	Match by PRISM Area ID and FY to the DMIS ID table (DMISID, FY) to retrieve the required data element. If no match found, leave blank. See DMIS ID specification for more information.
PRISM Area MSMA	Match by PRISM Area ID and FY to the DMIS ID table (DMISID, FY) to retrieve the required data element. If no match found, leave blank. See DMIS ID specification for more information.
PRISM Area Base Market	Match by PRISM Area and FY to the DMIS ID Index table (DMISID, FY) to retrieve base market. If no match found, leave blank. See DMIS ID specification for more information
PRISM Area reporting Market	Match by PRISM Area and FY to the DMIS ID Index table (DMISID, FY) to retrieve reporting market. If no match found, leave blank. See DMIS ID specification for more information
PRISM Area Expanded Market	Match by PRISM Area and FY to the DMIS ID Index table (DMISID, FY) to retrieve expanded market. If no match found, leave blank. See DMIS ID specification for more information
PRISM Area Type of Market	Match by PRISM Area and FY to the DMIS ID Index table (DMISID, FY) to retrieve type of market. If no match found, leave blank. See DMIS ID specification for more information
Pseudo Sponsor ID	Confidential algorithm to encrypt Sponsor ID. Must be consistent with all other M2 tables.
Pseudo Person ID	Confidential algorithm to encrypt Person ID. Must be consistent with all other M2 tables.
Pseudo Beneficiary ID	Confidential algorithm to encrypt Beneficiary ID. Must be consistent with all other M2 tables.
Ever Deployed Flag (OCO)	Refer to the M2 Contingency Tracking System Specification.
Days Since Most Recent OCO Deployment (Dimension)	Refer to the M2 Contingency Tracking System Specification.
Days Since Return from OCO Deployment (Measure)	Refer to the M2 Contingency Tracking System Specification.
Cumulative OCO Deployed Days	Refer to the M2 Contingency Tracking System Specification.
OCO Deployed Flag	Refer to the M2 Contingency Tracking System Specification.
Case Management Acuity Level	Refer to the Case Management specification.

<b>M2 Data Element</b>	<b>Processing Rule/Comments</b>
Case Management DMISID	Refer to the Case Management specification.
Case Manager ID 1	Refer to the Case Management specification.
Case Manager ID 2	Refer to the Case Management specification.
Case Manager ID 3	Refer to the Case Management specification.
FY	Set at the time of loading based on the date contained in the M2 file extract name.
FM	Set at the time of loading based on the date contained in the M2 file extract name.
CY	Set at the time of loading based on the date contained in the M2 file extract name.
CM	Set at the time of loading based on the date contained in the M2 file extract name.
Sponsor Rank Group	Refer to the Level of Access specification.
Special HCDP Code	Join to the Special HCDP reference table by Person ID and the first day of the extract month between Special HCDP begin and end dates. See the M2 Special HCDP specification for more information.
IIW Flag	Match to IIW table based on Person ID. If a match is found set to "Y", else set to "N".
Beneficiary Name	Concatenation of last and first name separated by a comma (e.g., Smith, John)