



Defense Health Agency

CHIEF DATA AND
ANALYTICS OFFICE

®

Competitive Plans Demonstration Clinical File

December 1, 2025

Version 1.00.00
Future Specification





Defense Health Agency

CHIEF DATA AND
ANALYTICS OFFICE

®

Revision History

Version	Date	Para/Tbl/Fig	Originator	Description of Change
1.00.00	12/1/2025	• Whole document	Wendy Funk	• Initial versioning.



MDR Competitive Plans Demonstration Clinical File

I. SOURCE:

Data Capture: The Enrollment, Eligibility and Encounter (EEE) Contractor for the CPD program (MicroHealth) prepares the monthly CPD Clinical file for the MDR, along with the Pharmacy, Provider and Enrollment files. These source data files are in the same layout as the Designated Provider files

II. TRANSMISSION (FORMAT AND FREQUENCY)

The data files are sent monthly in accordance with ICD XXXXXX. Batches include new and update records.

III. ORGANIZATION AND BATCHING

The CPD Clinical file contains all fiscal years of data.

IV. RECEIVING FILTERS

N/A

V. UPDATE PROCEDURES

- The raw CPD Clinical file contains new records, updated/corrected records and records that need to be deleted from the monthly MDR file. Records are deleted and corrected according to the following logic:
 - Records in each monthly batch with the Transaction Type Code="D" are used to purge records from the MDR file based on DMISID and Unique Patient Reference Number.
 - Records in each monthly batch with the Transaction Type Code="C" replace any previously received record with the same DMISID and Unique Patient Reference Number.
 - After removing/replacing records per steps above, only the most recent version of a record should be retained, based on DMISID, Unique Patient Reference Number and File Date.
 - Entire duplicate records in each feed should be purged.

VI. FIELD TRANSFORMATIONS AND DELETIONS FOR MDR CPD CLINICAL FILE

- The table below describes each reference (or data) file being used to append fields to each MDR CPD Clinical data.

Merge	Merge to	Date Matching	Additional Matching
Longitudinal VM6 File	Master	Latest Encounter Date, with begin and end dates for each changeable demographic segment.	PATID if available.
Master Person Index	Master	None	For records with blank PATID, match CPD by sponssn, patsex, dob and grouped member relationship code.

VII. RECORD LAYOUT AND CONTENT

MDR CPD Clinical File: Data are stored as a SAS data set. The table below describes the format, file layout, and field derivation rules for the CPD Clinical Detail data set.

DATA ELEMENT NAME	Format	Source Position	SAS Name	Business Rule
DEERS EDIPN	\$10	16-25	edipn	No Transformation
Last Name	27	26-52	last_nm	No Transformation
First Name	20	53-72	first_nm	No Transformation
Middle Name	20	73-92	middle_nm	No Transformation
Cadency	\$4	93-96	cadency_nm	No Transformation
Date of Birth	yyyymmdd	97-104	dob	No Transformation
Zip Code	\$5	105-109	zip	No Transformation
Sex	\$1	110	sex	No Transformation
Sponsor SSN	\$9	111-119	sponssn	No Transformation
Service Branch	\$1	123	service	No Transformation
Unique Patient Reference Number	\$12	124-135	record_id	No Transformation
Encounter Setting	\$1	136	enc	No Transformation
Primary Diagnosis	\$7	137-143	dx1	No Transformation
Diagnosis 2	\$7	144-150	dx2	No Transformation
Diagnosis 3	\$7	151-157	dx3	No Transformation
Diagnosis 4	\$7	158-164	dx4	No Transformation
Diagnosis 5	\$7	165-171	dx5	No Transformation
Diagnosis 6	\$7	172-178	dx6	No Transformation
Diagnosis 7	\$7	179-185	dx7	No Transformation
Diagnosis 8	\$7	186-192	dx8	No Transformation



DATA ELEMENT NAME	Format	Source Position	SAS Name	Business Rule
Diagnosis 10	\$7	200-206	dx10	No Transformation
Diagnosis 11	\$7	207-213	dx11	No Transformation
Diagnosis 12	\$7	214-220	dx12	No Transformation
Provider Tax Identifier	\$9	221-229	taxid	No Transformation
Unique Provider ID Number	\$18	230-247	provid	No Transformation
Provider Specialty/Institution Type	\$2	256-257	spc	No Transformation
Provider ZIP Code	\$9	258-266	provzip	No Transformation
Ordering Physician	\$18	267-284	orderphy	No Transformation
Total Charges	11	285-295	charge	No Transformation
Co-Payment Amount	6	296-301	copay	No Transformation
Emergency Flag	\$1	302	erflag	No Transformation
Date of Related Admission	yyyymmdd	303-310	admdate	If ENC ne "I" then set to missing
Date of Related Disposition	yyyymmdd	311-318	dispdate	If ENC ne "I" then set to missing
Number of Services	1	319	numsvcs	No Transformation
Service 1 Start Date	yyyymmdd	320-327	svcbeg1	If ENC=H set to missing.
Service 1 End Date	yyyymmdd	328-335	svcend1	If ENC=H set to missing.
Service 1 Place of Service	\$2	336-337	svcplc1	No Transformation
Service 1 Procedure Code	\$13	338-350	svcproc1	No Transformation
Service 1 Diagnosis Code	\$7	351-357	svcdx1	No Transformation
Service 1 Quantity	3	358-360	svcqty1	No Transformation
Service 2 Start Date	yyyymmdd	361-368	svcbeg2	If ENC=H set to missing.
Service 2 End Date	yyyymmdd	369-376	svcend2	If ENC=H set to missing.
Service 2 Place of Service	\$2	377-378	svcplc2	No Transformation
Service 2 Procedure Code	\$13	379-391	svcproc2	No Transformation
Service 2 Diagnosis Code	\$7	392-398	svcdx2	No Transformation
Service 2 Quantity	3	399-401	svcqty2	No Transformation
Service 3 Start Date	yyyymmdd	402-409	svcbeg3	If ENC=H set to missing.
Service 3 End Date	yyyymmdd	410-417	svcend3	If ENC=H set to missing.
Service 3 Place of Service	\$2	418-419	svcplc3	No Transformation
Service 3 Procedure Code	\$13	420-432	svcproc3	No Transformation
Service 3 Diagnosis Code	\$7	433-439	svcdx3	No Transformation
Service 3 Quantity	3	440-442	svcqty3	No Transformation
Service 4 Start Date	yyyymmdd	443-450	svcbeg4	If ENC=H set to missing.
Service 4 End Date	yyyymmdd	451-458	svcend4	If ENC=H set to missing.
Service 4 Place of Service	\$2	459-460	svcplc4	No Transformation
Service 4 Procedure Code	\$13	461-473	svcproc4	No Transformation
Service 4 Diagnosis Code	\$7	474-480	svcdx4	No Transformation
Service 4 Quantity	3	481-483	svcqty4	No Transformation
Service 5 Start Date	yyyymmdd	484-491	svcbeg5	If ENC=H set to missing.



DATA ELEMENT NAME	Format	Source Position	SAS Name	Business Rule
Service 5 End Date	yyyymmdd	492-499	svcend5	If ENC=H set to missing.
Service 5 Place of Service	\$2	500-501	svcplc5	No Transformation
Service 5 Procedure Code	\$13	502-514	svcproc5	No Transformation
Service 5 Diagnosis Code	\$7	515-521	svcdx5	No Transformation
Service 5 Quantity	3	522-524	svcqty5	No Transformation
Service 6 Start Date	yyyymmdd	525-532	svcbeg6	If ENC=H set to missing.
Service 6 End Date	yyyymmdd	533-540	svcend6	If ENC=H set to missing.
Service 6 Place of Service	\$2	541-542	svcplc6	No Transformation
Service 6 Procedure Code	\$13	543-555	svcproc6	No Transformation
Service 6 Diagnosis Code	\$7	556-562	svcdx6	No Transformation
Service 6 Quantity	3	563-565	svcqty6	No Transformation
Hospital Service Admission Date	8	566-573	hospadm	If ENC ne "H" then set to missing
Hospital Service Admission Type	1	574	hosptype	No Transformation
Hospital Service Admission Source	1	575	hospsrc	No Transformation
Hospital Service Disposition Status	2	576-577	hospstat	No Transformation
Hospital Service Disposition Date	8	578-585	hospdisp	If ENC ne "H", then set to missing
Diagnosis Related Group	3	586-588	drg	No Transformation
Hospital Service Principle Procedure	7	589-595	hosp_proc1	No Transformation
Hospital Service Procedure 2	7	596-602	hosp_proc2	No Transformation
Hospital Service Procedure 3	7	603-609	hosp_proc3	No Transformation
Hospital Service Procedure 4	7	610-616	hosp_proc4	No Transformation
Hospital Service Procedure 5	7	617-623	hosp_proc5	No Transformation
Hospital Service Procedure 6	7	624-630	hosp_proc6	No Transformation
Transaction Type	1	631	trantype	No Transformation
Internally Derived Fields				
Fiscal Month of Last Encounter	\$2		fy	Derived from latest valid encounter date.
Fiscal Year of Last Encounter	\$4		fm	Derived from latest valid encounter date.
Last Encounter Date	yyyymmdd		lastenc	Equals the latest valid encounter date on the record. If the Encounter Setting=H, then set equal to HOSPDISP. If Encounter Setting=I then set equal to latest of DISPDATE and Service End Date 1-6. If Encounter Setting=0, then set equal to the latest of Service End Date1-Service End Date6 1-6.
File Date	yyyymmdd		filedate	Set equal to feed date.

DATA ELEMENT NAME	Format	Source Position	SAS Name	Business Rule
CPD Area	\$20		cpd_area	If PCM_ID = 101 then "CS-Tampa" else if PCM_ID = 1-3 then "CS-Atlanta" else "None"
MPI Merge				
Person Association Reason Code	\$2		parc	From MPI merge. See MPI specification.
Longitudinal VM-6 DEERS Merge				
DEERS Enrollment DMISID	\$4		denrsite	Fill with enrollment DMISID from LVM-4, if the Latest Encounter Date on the claim is between the begin and end date associated with the enrollment site.
DEERS Health Care Delivery Program Code	\$3		dhcdp	Fill with DEERS health care delivery program coverage code from LVM-4, if the Latest Encounter Date on the claim is between the begin and end date associated with the DEERS health care delivery program coverage code.
DEERS Beneficiary Category	\$3		bencat	Fill with DEERS beneficiary category from LVM-4, if the Latest Encounter Date on the claim is between the begin and end date associated with the DEERS beneficiary category.
DEERS Sponsor Service Aggregate	\$1		dsponsvc	Fill with DEERS sponsor service (aggregate) from LVM-4, if the Latest Encounter Date on the claim is between the begin and end date associated with the DEERS sponsor service (aggregate).
DEERS Zip Code	\$5		deerszip	Fill with DEERS zip code from LVM-4, if the Latest Encounter Date on the claim is between the begin and end date associated with the DEERS zip code.
DEERS Race Code	\$1		race	Fill with DEERS Race Code from LVM-4.
DEERS Ethnicity Code	\$1		ethnic	Fill with DEERS Ethnicity Code from LVM-4.
DEERS Eligibility Group	\$1		elg_grp	If the begin date or care is between the begin and end date of D_ELG_GRP_CD then fill with D_ELG_GRP_CD else leave blank



Defense Health Agency

CHIEF DATA AND
ANALYTICS OFFICE ®

DATA ELEMENT NAME	Format	Source Position	SAS Name	Business Rule
DEERS PCM Type	\$1		pcm_type	If the begin date of care is between the begin and end date of D_PCM_TYPE_CD then fill with D_PCM_TYPE_CD else leave blank; see VM=6 specification
DEERS PCM ID	\$10		pcm_id	If the begin date of care is between the begin and end date of D_PCM_ID then fill with D_PCM_TYPE_CD else leave blank

VIII. REFRESH FREQUENCY

Data is updated monthly

IX. DATA MARTS

N/A

X. SPECIAL OUTPUTS

N/A.

